

CAYMAN ISLANDS



**Endangered Species (Trade and Transport) Act
(2017 Revision)**

**ENDANGERED SPECIES (TRADE AND
TRANSPORT) (AMENDMENT OF
SCHEDULE) ORDER, 2024**


(SL 46 of 2024)

Supplement No. 1 published with Legislation Gazette No. 43 dated 25th November, 2024.

PUBLISHING DETAILS



CAYMAN ISLANDS



Endangered Species (Trade and Transport) Act
(2017 Revision)

**ENDANGERED SPECIES (TRADE AND
TRANSPORT) (AMENDMENT OF SCHEDULE)
ORDER, 2024**
(SL 46 of 2024)

In exercise of the powers conferred by section 36 of the Endangered Species (Trade and Transport) Act (2017 Revision), the Management Authority, on the advice of the Scientific Authority, makes the following Order —

Citation

1. This Order may be cited as the Endangered Species (Trade and Transport) (Amendment of Schedule) Order, 2024.

Amendment of the Schedule to the Endangered Species (Trade and Transport) Act (2017 Revision)

2. The *Endangered Species (Trade and Transport) Act (2017 Revision)* is amended in the Schedule by repealing Part 1 and substituting the following Part —

“PART 1

Column I	Column II	Column III
FAUNA (ANIMALS) PHYLUM CHORDATA		



Column I	Column II	Column III
CLASS MAMMALIA (MAMMALS)		
ARTIODACTYLA		
ANTILOCAPRIDAE Pronghorns		
<i>Antilocapra americana</i> (Only the population of Mexico; no other population is included in the Columns)		
BOVIDAE Antelopes, cattle, duikers, gazelles, goats, sheep, etc.		
<i>Addax nasomaculatus</i>		
	<i>Ammotragus lervia</i>	
		<i>Antilope cervicapra</i> (Nepal, Pakistan)
<i>Bos gaurus</i> (Excludes the domesticated form, which is referenced as <i>Bos frontalis</i> , and is not subject to the provisions of the Convention)		
<i>Bos mutus</i> (Excludes the domesticated form, which is referenced as <i>Bos grunniens</i> , and is not subject to the provisions of the Convention)		
<i>Bos sauveli</i>		
		<i>Boselaphus tragocamelus</i> (Pakistan)
		<i>Bubalus arnee</i> (Excludes the domesticated form, which is referenced as <i>Bubalus bubalis</i> and is not subject to the provisions of the Convention) (Nepal)
<i>Bubalus depressicornis</i>		



Column I	Column II	Column III
<i>Bubalus mindorensis</i>		
<i>Bubalus quarlesi</i>	<i>Budorcas taxicolor</i>	
	<i>Capra caucasica</i>	
<i>Capra falconeri</i>		
		<i>Capra hircus aegagrus</i> ^{A1} (Pakistan)
		<i>Capra sibirica</i> (Pakistan)
<i>Capricornis milneedwardsii</i>		
<i>Capricornis rubidus</i>		
<i>Capricornis sumatraensis</i>		
<i>Capricornis thar</i>		
	<i>Cephalophus brookei</i>	
	<i>Cephalophus dorsalis</i>	
<i>Cephalophus jentinki</i>		
	<i>Cephalophus ogilbyi</i>	
	<i>Cephalophus silvicultor</i>	
	<i>Cephalophus zebra</i>	
	<i>Damaliscus pygargus</i> <i>pygargus</i>	
		<i>Gazella bennettii</i> (Pakistan)
<i>Gazella cuvieri</i>		
		<i>Gazella dorcas</i> (Algeria, Tunisia)
<i>Gazella leptoceros</i>		
<i>Hippotragus niger</i> <i>variani</i>		
	<i>Kobus leche</i>	
<i>Naemorhedus baileyi</i>		
<i>Naemorhedus caudatus</i>		
<i>Naemorhedus goral</i>		
<i>Naemorhedus griseus</i>		
<i>Nanger dama</i>		
<i>Oryx dammah</i>		
<i>Oryx leucoryx</i>		
	<i>Ovis ammon</i>	
	<i>Ovis arabica</i>	
	<i>Ovis bochariensis</i>	
	<i>Ovis canadensis</i> (Only the population of Mexico; no	

Column I	Column II	Column III
	other population is included in the Columns)	
	<i>Ovis collium</i>	
	<i>Ovis cycloceros</i>	
	<i>Ovis darwini</i>	
<i>Ovis gmelini</i> (Only the population of Cyprus; no other population is included in the Columns)		
<i>Ovis hodgsoni</i>		
	<i>Ovis jubata</i>	
	<i>Ovis karelini</i>	
<i>Ovis nigrimontana</i>		
	<i>Ovis polii</i>	
	<i>Ovis punjabiensis</i>	
	<i>Ovis severtzovi</i>	
<i>Ovis vignei</i>		
<i>Pantholops hodgsonii</i>		
	<i>Philantomba maxwelli</i>	
	<i>Philantomba monticola</i>	
		<i>Pseudois nayaur</i> (Pakistan)
<i>Pseudoryx nghetinhensis</i>		
	<i>Rupicapra pyrenaica ornata</i>	
	<i>Saiga borealis</i> ^{A2}	
	<i>Saiga tatarica</i> ^{A2}	
		<i>Tetracerus quadricornis</i> (Nepal)
CAMELIDAE Guanaco, vicuna		
	<i>Lama guanicoe</i>	
<i>Vicugna vicugna</i> (Except the populations of: Argentina [populations of the Provinces of Catamarca, Jujuy and Salta, and semi-captive populations of the Provinces of Catamarca, Jujuy, La Rioja, Salta and		



Column I	Column II	Column III
San Juan], Chile [populations of the region of Arica and Parinacota and of the region of Tarapacá], Ecuador, Peru and the Plurinational State of Bolivia, which are included in Column II)		
	<i>Vicugna vicugna</i> ^{A3} (Only the populations of Argentina [populations of the Provinces of Catamarca, Jujuy and Salta, and semi-captive populations of the Provinces of Catamarca, Jujuy, La Rioja, Salta and San Juan], Chile [populations of the region of Arica and Parinacota and of the region of Tarapacá], Ecuador, Peru and the Plurinational State of Bolivia; all other populations are included in Column I)	
CERVIDAE Deer, huemuls, muntjacs, pudus		
<i>Axis calamianensis</i>		
<i>Axis kuhlii</i>		
		<i>Axis porcinus</i> (Except the subspecies included in Column I) (Pakistan)
<i>Axis porcinus</i> <i>annamiticus</i>		
<i>Blastocerus dichotomus</i>		
	<i>Cervus</i> <i>bactrianus</i> <i>elaphus</i>	
		<i>Cervus elaphus barbarus</i> (Algeria, Tunisia)

Column I	Column II	Column III
<i>Cervus elaphus hanglu</i>		
<i>Dama dama mesopotamica</i>		
<i>Hippocamelus spp.</i>		
		<i>Mazama temama cerasina</i> (Guatemala)
<i>Muntiacus crinifrons</i>		
<i>Muntiacus vuquangensis</i>		
		<i>Odocoileus virginianus mayensis</i> (Guatemala)
<i>Ozotoceros bezoarticus</i>		
	<i>Pudu mephistophiles</i>	
<i>Pudu puda</i>		
<i>Rucervus duvaucelii</i>		
<i>Rucervus eldii</i>		
GIRAFFIDAE Giraffe		
	<i>Giraffa camelopardalis</i>	
HIPPOPOTAMIDAE Hippopotamuses		
<i>Hexaprotodon liberiensis</i>		
	<i>Hippopotamus amphibius</i>	
MOSCHIDAE Musk deer		
<i>Moschus spp.</i> (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Column II)		
	<i>Moschus spp.</i> (Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Column I)	



Column I	Column II	Column III
SUIDAE Babirusa, hog		
<i>Babyrousa babyrussa</i>		
<i>Babyrousa bolabatuensis</i>		
<i>Babyrousa celebensis</i>		
<i>Babyrousa togeanensis</i>		
<i>Sus salvanius</i>		
TAYASSUIDAE Peccaries		
	<i>Tayassuidae spp.</i> (Except the species included in Column I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Columns)	
<i>Catagonus wagneri</i>		
CARNIVORA		
AILURIDAE Red panda		
<i>Ailurus fulgens</i>		
CANIDAE Wild dogs, foxes, wolves		
		<i>Canis aureus</i> (India)
<i>Canis lupus</i> (Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Column II) (Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the		

Column I	Column II	Column III
provisions of the Convention)		
	<i>Canis lupus</i> (Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Column I) (Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the provisions of the Convention)	
	<i>Cerdocyon thous</i>	
	<i>Chrysocyon brachyurus</i>	
	<i>Cuon alpinus</i>	
	<i>Lycalopex culpaeus</i>	
	<i>Lycalopex fulvipes</i>	
	<i>Lycalopex griseus</i>	
	<i>Lycalopex gymnocercus</i>	
<i>Speothos venaticus</i>		
		<i>Vulpes bengalensis</i> (India)
	<i>Vulpes cana</i>	
		<i>Vulpes vulpes griffithi</i> (India)
		<i>Vulpes vulpes montana</i> (India)
		<i>Vulpes vulpes pusilla</i> (India)
	<i>Vulpes zerda</i>	
EUPLERIDAE Fossa, falanouc, Malagasy civet		
	<i>Cryptoprocta ferox</i>	
	<i>Eupleres goudotii</i>	
	<i>Fossa fossana</i>	



Column I	Column II	Column III
FELIDAE Cats		
	Felidae spp. ^{A1 A4} (Except the species included in Column I)	
<i>Acinonyx jubatus</i> ^{A5}		
<i>Caracal caracal</i> (Only the population of Asia; all other populations are included in Column II)		
<i>Catopuma temminckii</i>		
<i>Felis nigripes</i>		
<i>Herpailurus yagouaroundi</i> (Only the populations of Central and North America; all other populations are included in Column II)		
<i>Leopardus geoffroyi</i>		
<i>Leopardus guttulus</i>		
<i>Leopardus jacobita</i>		
<i>Leopardus pardalis</i>		
<i>Leopardus tigrinus</i>		
<i>Leopardus wiedii</i>		
<i>Lynx pardinus</i>		
<i>Neofelis diardi</i>		
<i>Neofelis nebulosa</i>		
<i>Panthera leo</i> (Only the populations of India; all other populations are included in Column II)		
<i>Panthera onca</i>		
<i>Panthera pardus</i>		
<i>Panthera tigris</i>		
<i>Panthera uncia</i>		

Column I	Column II	Column III
<i>Pardofelis marmorata</i>		
<i>Prionailurus bengalensis bengalensis</i> (Only the populations of Bangladesh, India and Thailand; all other populations are included in Column II)		
<i>Prionailurus planiceps</i>		
<i>Prionailurus rubiginosus</i> (Only the population of India; all other populations are included in Column II)		
<i>Puma concolor</i> (Only the populations of Costa Rica and Panama; all other populations are included in Column II)		
HERPESTIDAE Mongooses		
		<i>Herpestes edwardsi</i> (India, Pakistan)
		<i>Herpestes fuscus</i> (India)
		<i>Herpestes javanicus</i> (Pakistan)
		<i>Herpestes javanicus auropunctatus</i> (India)
		<i>Herpestes smithii</i> (India)
		<i>Herpestes urva</i> (India)
		<i>Herpestes vitticollis</i> (India)
HYAENIDAE Aardwolf, hyena		
		<i>Hyaena hyaena</i> (Pakistan)
		<i>Proteles cristata</i> (Botswana)



Column I	Column II	Column III
MEPHITIDAE Humboldt's hog-nosed skunk		
	<i>Conepatus humboldtii</i>	
MUSTELIDAE Badgers, martens, otters, weasels, etc.		
LUTRINAE Otters		
	<i>Lutrinae spp.</i> (Except the species included in Column I)	
<i>Aonyx capensis microdon</i> (Only the populations of Cameroon and Nigeria; all other populations are included in Column II)		
<i>Aonyx cinereus</i>		
<i>Enhydra lutris nereis</i>		
<i>Lontra felina</i>		
<i>Lontra longicaudis</i>		
<i>Lontra provocax</i>		
<i>Lutra lutra</i>		
<i>Lutra nippon</i>		
<i>Lutrogale perspicillata</i>		
<i>Pteronura brasiliensis</i>		
MUSTELINAE Grisons, honey badgers, martens, tayra, weasels		
		<i>Eira barbara</i> (Honduras)
		<i>Martes flavigula</i> (India)
		<i>Martes foina intermedia</i> (India)
		<i>Martes gwatkinsii</i> (India)

Column I	Column II	Column III
		<i>Mellivora capensis</i> (Botswana)
		<i>Mustela altaica</i> (India)
		<i>Mustela erminea ferghanae</i> (India)
		<i>Mustela kathiah</i> (India)
<i>Mustela nigripes</i>		
		<i>Mustela sibirica</i> (India)
ODOBENIDAE Walrus		
		<i>Odobenus rosmarus</i> (Canada)
OTARIIDAE Fur seals, sealions		
	<i>Arctocephalus</i> spp. (Except the species included in Column I)	
<i>Arctocephalus townsendi</i>		
PHOCIDAE Seals		
	<i>Mirounga leonina</i>	
<i>Monachus</i> spp.		
PROCYONIDAE Coatis, kinkajou		
		<i>Nasua narica</i> (Honduras)
		<i>Nasua nasua solitaria</i> (Uruguay)
		<i>Potos flavus</i> (Honduras)
URSIDAE Bears, giant pandas		
	<i>Ursidae</i> spp. (Except the species included in Column I)	



Column I	Column II	Column III
<i>Ailuropoda melanoleuca</i>		
<i>Helarctos malayanus</i>		
<i>Melursus ursinus</i>		
<i>Tremarctos ornatus</i>		
<i>Ursus arctos</i> (Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Column II)		
<i>Ursus arctos isabellinus</i>		
<i>Ursus thibetanus</i>		
VIVERRIDAE Binturong, civets, linsangs, otter-civet, palm civets		
		<i>Arctictis binturong</i> (India)
		<i>Civettictis civetta</i> (Botswana)
	<i>Cynogale bennettii</i>	
	<i>Hemigalus derbyanus</i>	
		<i>Paguma larvata</i> (India)
		<i>Paradoxurus hermaphroditus</i> (India)
		<i>Paradoxurus jerdoni</i> (India)
	<i>Prionodon linsang</i>	
<i>Prionodon pardicolor</i>		
		<i>Viverra civettina</i> (India)
		<i>Viverra zibetha</i> (India)
		<i>Viverricula indica</i> (India)
CETACEA Dolphins, porpoises, whales		
	<i>Cetacea spp.</i> ^{A6} (Except the species included in Column I)	

Column I	Column II	Column III
BALAENIDAE Bowhead whale, right whales		
<i>Balaena mysticetus</i>		
<i>Eubalaena</i> spp.		
BALAENOPTERIDAE Fin whales, humpback whales, rorquals		
<i>Balaenoptera acutorostrata</i> (Except the population of West Greenland, which is included in Column II)		
<i>Balaenoptera bonaerensis</i>		
<i>Balaenoptera borealis</i>		
<i>Balaenoptera edni</i>		
<i>Balaenoptera musculus</i>		
<i>Balaenoptera omurai</i>		
<i>Balaenoptera physalus</i>		
<i>Megaptera novaeangliae</i>		
DELPHINIDAE Dolphins		
<i>Orcaella brevirostris</i>		
<i>Orcaella heinsohni</i>		
<i>Sotalia</i> spp.		
<i>Sousa</i> spp.		
ESCHRICHTIIDAE Grey whale		
<i>Eschrichtius robustus</i>		
INIIDAE River dolphin		
<i>Lipotes vexillifer</i>		
NEOBALAENIDAE Pygmy right whale		
<i>Caperea marginata</i>		
PHOCOENIDAE Porpoises		



Column I	Column II	Column III
<i>Neophocaena asiaeorientalis</i>		
<i>Neophocaena phocaenoides</i>		
<i>Phocoena sinus</i>		
PHYSETERIDAE Sperm whale		
<i>Physeter macrocephalus</i>		
PLATANISTIDAE River dolphins		
<i>Platanista spp.</i>		
ZIPHIIDAE Beaked whales, bottlenosed whales		
<i>Berardius spp.</i>		
<i>Hyperoodon spp.</i>		
CHIROPTERA		
PHYLLOSTOMIDAE White-lined broadnosed bats		
		<i>Platyrrhinus lineatus</i> (Uruguay)
PTEROPODIDAE Fruit bats, flying foxes		
	<i>Acerodon spp.</i> (Except the species included in Column I)	
<i>Acerodon jubatus</i>		
	<i>Pteropus spp.</i> (Except the species included in Column I and <i>Pteropus brunneus</i> which is not included in the Columns)	

Column I	Column II	Column III
<i>Pteropus insularis</i>		
<i>Pteropus loochoensis</i>		
<i>Pteropus mariannus</i>		
<i>Pteropus molossinus</i>		
<i>Pteropus pelewensis</i>		
<i>Pteropus pilosus</i>		
<i>Pteropus samoensis</i>		
<i>Pteropus tonganus</i>		
<i>Pteropus ualanus</i>		
<i>Pteropus yapensis</i>		
CINGULATA		
DASYPODIDAE Armadillos		
		<i>Cabassous tatouay</i> (Uruguay)
	<i>Chaetophractus nationi</i> A7	
<i>Priodontes maximus</i>		
DASYUROMORPHIA		
DASYURIDAE Dunnarts		
<i>Sminthopsis longicaudata</i>		
<i>Sminthopsis psammophila</i>		
DIPROTODONTIA		
MACROPODIDAE Kangaroos, wallabies		
	<i>Dendrolagus inustus</i>	



Column I	Column II	Column III
	<i>Dendrolagus ursinus</i>	
<i>Lagorchestes hirsutus</i>		
<i>Lagostrophus fasciatus</i>		
<i>Onychogalea fraenata</i>		
PHALANGERIDAE Cuscuses		
	<i>Phalanger intercastellanus</i>	
	<i>Phalanger mimicus</i>	
	<i>Phalanger orientalis</i>	
	<i>Spilocuscus kraemeri</i>	
	<i>Spilocuscus maculatus</i>	
	<i>Spilocuscus papuensis</i>	
POTOROIDAE Rat-kangaroos		
<i>Bettongia spp.</i>		
VOMBATIDAE Northern hairy-nosed wombat		
<i>Lasiorhinus krefftii</i>		
LAGOMORPHA		
LEPORIDAE Rabbits		
<i>Caprolagus hispidus</i>		
<i>Romerolagus diazi</i>		
MONOTREMATA		
TACHYGLOSSIDAE Echidnas		
	<i>Zaglossus spp.</i>	
PERAMELEMORPHIA		

Column I	Column II	Column III
PERAMELIDAE Barred bandicoots		
<i>Perameles bougainville</i>		
THYLACOMYIDAE Bilby		
<i>Macrotis lagotis</i>		
PERISSODACTYLA		
EQUIDAE Horses, wild asses, zebras		
<i>Equus africanus</i> (Excludes the domesticated form, which is referenced as <i>Equus asinus</i> , and is not subject to the provisions of the Convention)		
<i>Equus grevyi</i>		
	<i>Equus hemionus</i> (Except the subspecies included in Column I)	
<i>Equus hemionus hemionus</i>		
<i>Equus hemionus khur</i>		
<i>Equus hemionus luteus</i>		
	<i>Equus kiang</i>	
<i>Equus przewalskii</i>		
	<i>Equus zebra hartmannae</i>	
	<i>Equus zebra zebra</i>	
RHINOCEROTIDAE Rhinoceroses		
<i>Rhinocerotidae</i> spp. (Except the subspecies included in Column II)		



Column I	Column II	Column III
	<i>Ceratotherium simum</i> <i>simum</i> (Only the populations of Eswatini ^{A8} , Namibia ^{A9} and South Africa ^{A8} ; all other populations are included in Column I)	
TAPIRIDAE Tapirs		
<i>Tapiridae</i> spp. (Except the species included in Column II)		
	<i>Tapirus terrestris</i>	
PHOLIDOTA		
MANIDAE Pangolins		
	<i>Manis</i> spp. (Except the species included in Column I)	
<i>Manis crassicaudata</i>		
<i>Manis culionensis</i>		
<i>Manis gigantea</i>		
<i>Manis javanica</i>		
<i>Manis pentadactyla</i>		
<i>Manis temminckii</i>		
<i>Manis tetradactyla</i>		
<i>Manis tricuspis</i>		
PILOSA		
BRADYPODIDAE Three-toed sloths		
	<i>Bradypus pygmaeus</i>	

Column I	Column II	Column III
	<i>Bradypus variegatus</i>	
MYRMECOPHAGIDAE Giant anteater, tamandua		
	<i>Myrmecophaga tridactyla</i>	
		<i>Tamandua mexicana</i> (Guatemala)
PRIMATES Apes, monkeys		
	Primates spp. (Except the species included in Column I)	
ATELIDAE Howler monkeys, spider monkeys		
<i>Alouatta palliata</i>		
<i>Alouatta pigra</i>		
<i>Ateles geoffroyi frontatus</i>		
<i>Ateles geoffroyi ornatus</i>		
<i>Brachyteles arachnoides</i>		
<i>Brachyteles hypoxanthus</i>		
<i>Oreonax flavicauda</i>		
CEBIDAE Marmosets, tamarins, New World monkeys		
<i>Callimico goeldii</i>		
<i>Callithrix aurita</i>		
<i>Callithrix flaviceps</i>		
<i>Leontopithecus spp.</i>		
<i>Saguinus bicolor</i>		
<i>Saguinus geoffroyi</i>		
<i>Saguinus leucopus</i>		
<i>Saguinus martinsi</i>		
<i>Saguinus oedipus</i>		
<i>Saimiri oerstedii</i>		



Column I	Column II	Column III
CERCOPITHECIDAE Old World monkeys		
<i>Cercocebus galeritus</i>		
<i>Cercopithecus diana</i>		
<i>Cercopithecus roloway</i>		
<i>Macaca silenus</i>		
<i>Macaca sylvanus</i>		
<i>Mandrillus leucophaeus</i>		
<i>Mandrillus sphinx</i>		
<i>Nasalis larvatus</i>		
<i>Ptilocolobus kirkii</i>		
<i>Ptilocolobus rufomitatus</i>		
<i>Presbytis potenziani</i>		
<i>Pygathrix spp.</i>		
<i>Rhinopithecus spp.</i>		
<i>Semnopithecus ajax</i>		
<i>Semnopithecus dussumieri</i>		
<i>Semnopithecus entellus</i>		
<i>Semnopithecus hector</i>		
<i>Semnopithecus hypoleucos</i>		
<i>Semnopithecus priam</i>		
<i>Semnopithecus schistaceus</i>		
<i>Simias concolor</i>		
<i>Trachypithecus geei</i>		
<i>Trachypithecus pileatus</i>		
<i>Trachypithecus shortridgei</i>		
CHEIROGALEIDAE Dwarf lemurs		

Column I	Column II	Column III
<i>Cheirogaleidae</i> spp.		
DAUBENTONIIDAE Aye-aye		
<i>Daubentonia</i> <i>madagascariensis</i>		
HOMINIDAE Apes, chimpanzees, gorillas, orangutans		
<i>Gorilla beringei</i>		
<i>Gorilla gorilla</i>		
<i>Pan</i> spp		
<i>Pongo abelii</i>		
<i>Pongo pygmaeus</i>		
<i>Pongo tapanuliensis</i>		
HYLOBATIDAE Gibbons		
<i>Hylobatidae</i> spp.		
INDRIIDAE Indris, sifakas, woolly lemurs		
<i>Indriidae</i> spp.		
LEMURIDAE Large lemurs		
LEMURIDAE spp.		
LEPILEMURIDAE Sportive lemurs		
LEPILEMURIDAE spp.		
LORISIDAE Lorises		
<i>Nycticebus</i> spp.		
PITHECIIDAE Sakis, uakaris		
<i>Cacajao</i> spp.		
<i>Chiropotes albinasus</i>		



Column I	Column II	Column III
PROBOSCIDEA		
ELEPHANTIDAE Elephants		
<i>Elephas maximus</i>		
<i>Loxodonta africana</i> (Except the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Column II subject to annotation A10)		
	<i>Loxodonta africana</i> ^{A10} (Only the populations of Botswana, Namibia, South Africa and Zimbabwe; all other populations are included in Column I)	
RODENTIA		
CHINCHILLIDAE Chinchillas		
<i>Chinchilla</i> spp. ^{A1}		
CUNICULIDAE Pacas		
		<i>Cuniculus paca</i> (Honduras)
DASYPROCTIDAE Agoutis		
		<i>Dasyprocta punctata</i> (Honduras)
ERETHIZONTIDAE New World porcupines		

Column I	Column II	Column III
		<i>Sphiggurus mexicanus</i> (Honduras)
		<i>Sphiggurus spinosus</i> (Uruguay)
MURIDAE Mice, rats		
	<i>Leporillus conditor</i>	
	<i>Pseudomys fieldi</i>	
	<i>Xeromys myoides</i>	
	<i>Zyzomys pedunculatus</i>	
SCIURIDAE Ground squirrels, tree squirrels		
	<i>Cynomys mexicanus</i>	
		<i>Marmota caudata</i> (India)
		<i>Marmota himalayana</i> (India)
	<i>Ratufa spp.</i>	
SCANDENTIA Tree shrews		
	SCANDENTIA spp.	
SIRENIA		
DUGONGIDAE Dugong		
<i>Dugong dugon</i>		
TRICHECHIDAE Manatees		
<i>Trichechus inunguis</i>		
<i>Trichechus manatus</i>		
<i>Trichechus senegalensis</i>		
CLASS AVES (BIRDS)		



Column I	Column II	Column III
ANSERIFORMES		
ANATIDAE Ducks, geese, swans, etc.		
<i>Anas aucklandica</i>		
<i>Anas bernieri</i>		
<i>Anas chlorotis</i>		
<i>Anas formosa</i>		
<i>Anas laysanensis</i>		
<i>Anas nesiotis</i>		
<i>Asarcornis scutulata</i>		
<i>Branta canadensis leucopareia</i>		
<i>Branta ruficollis</i>		
<i>Branta sandvicensis</i>		
<i>Coscoroba coscoroba</i>		
<i>Cygnus melancoryphus</i>		
<i>Dendrocygna arborea</i>		
<i>Dendrocygna autumnalis</i> (Honduras)		
<i>Dendrocygna bicolor</i> (Honduras)		
<i>Oxyura leucocephala</i>		
<i>Rhodonessa caryophyllacea</i>		
<i>Sarkidiornis melanotos</i>		
APODIFORMES		
TROCHILIDAE Hummingbirds		
<i>Glaucis dohrnii</i>	Trochilidae spp. (Except the species included in Column I)	

Column I	Column II	Column III
CHARADRIIFORMES		
BURHINIDAE Thick-knee		
		<i>Burhinus bistriatus</i> (Guatemala)
LARIDAE Relict gull		
<i>Larus relictus</i>		
SCOLOPACIDAE Curlews, greenshanks		
<i>Numenius borealis</i>		
<i>Numenius tenuirostris</i>		
<i>Tringa guttifer</i>		
CICONIIFORMES		
BALAENICIPITIDAE Shoebill		
	<i>Balaeniceps rex</i>	
CICONIIDAE Storks		
<i>Ciconia boyciana</i>		
	<i>Ciconia nigra</i>	
<i>Jabiru mycteria</i>		
	<i>Mycteria cinerea</i>	
PHOENICOPTERIDAE Flamingos		
	PHOENICOPTERIDAE spp.	
THRESKIORNITHIDAE Ibises, spoonbills		
	<i>Eudocimus ruber</i>	



Column I	Column II	Column III
	<i>Geronticus calvus</i>	
<i>Geronticus eremita</i>		
<i>Nipponia nippon</i>		
	<i>Platalea leucorodia</i>	
COLUMBIFORMES		
COLUMBIDAE Doves, pigeons		
<i>Caloenas nicobarica</i>		
<i>Ducula mindorensis</i>		
	<i>Gallicolumba luzonica</i>	
	<i>Goura</i> spp.	
		<i>Nesoenas mayeri</i> (Mauritius)
CORACIIFORMES		
BUCEROTIDAE Hornbills		
	<i>Aceros</i> spp. (Except the species included in Column I)	
<i>Aceros nipalensis</i>		
	<i>Anorrhinus</i> spp.	
	<i>Anthracoceros</i> spp.	
	<i>Berenicornis</i> spp.	
	<i>Buceros</i> spp. (Except the species included in Column I)	
<i>Buceros bicornis</i>		
	<i>Penelopides</i> spp.	
<i>Rhinoplax vigil</i>		
	<i>Rhyticeros</i> spp. (Except the species included in Column I)	

Column I	Column II	Column III
<i>Rhyticeros subruficollis</i>		
CUCULIFORMES		
MUSOPHAGIDAE Turacos		
	<i>Tauraco spp.</i>	
FALCONIFORMES Eagles, falcons, hawks, vultures		
	FALCONIFORMES spp. (Except the species included in Columns I and III and <i>Caracara lutosa</i> , <i>Cathartes aura</i> , <i>Cathartes burrovianus</i> , <i>Cathartes melambrotus</i> and <i>Coragyps atratus</i> which are not included in the Columns)	
ACCIPITRIDAE Hawks, eagles		
<i>Aquila adalberti</i>		
<i>Aquila heliaca</i>		
<i>Chondrohierax wilsonii</i>		
<i>Haliaeetus albicilla</i>		
<i>Harpia harpyja</i>		
<i>Pithecophaga jefferyi</i>		
CATHARTIDAE New World vultures		
<i>Gymnogyps californianus</i>		
		<i>Sarcoramphus papa</i> (Honduras)



Column I	Column II	Column III
<i>Vultur gryphus</i>		
FALCONIDAE Falcons		
<i>Falco araeus</i>		
<i>Falco jugger</i>		
<i>Falco newtoni</i> (Only the population of Seychelles; all other populations are included in Column II)		
<i>Falco peregrinus</i>		
<i>Falco punctatus</i>		
<i>Falco rusticolus</i>		
GALLIFORMES		
CRACIDAE Chachalacas, curassows, guans		
		<i>Crax alberti</i> (Colombia)
<i>Crax blumenbachii</i>		
		<i>Crax daubentoni</i> (Colombia)
		<i>Crax globulosa</i> (Colombia)
		<i>Crax rubra</i> (Colombia, Guatemala, Honduras)
<i>Mitu mitu</i>		
<i>Oreophasis derbianus</i>		
		<i>Ortalis vetula</i> (Guatemala, Honduras)
		<i>Pauxi pauxi</i> (Colombia)
<i>Penelope albipennis</i>		
		<i>Penelope purpurascens</i> (Honduras)

Column I	Column II	Column III
		<i>Penelopina nigra</i> (Guatemala)
<i>Pipile jacutinga</i>		
<i>Pipile pipile</i>		
MEGAPODIIDAE Maleo fowl		
<i>Macrocephalon maleo</i>		
PHASIANIDAE Grouse, guineafowl, partridges, peafowl, pheasants, tragopans		
	<i>Argusianus argus</i>	
<i>Catreus wallichii</i>		
<i>Colinus virginianus ridgwayi</i>		
<i>Crossoptilon crossoptilon</i>		
<i>Crossoptilon mantchuricum</i>		
	<i>Gallus sonneratii</i>	
	<i>Ithaginis cruentus</i>	
<i>Lophophorus impejanus</i>		
<i>Lophophorus lhuysii</i>		
<i>Lophophorus sclateri</i>		
<i>Lophura edwardsi</i>		
		<i>Lophura leucomelanos</i> (Pakistan)
<i>Lophura swinhoii</i>		
		<i>Meleagris ocellata</i> (Guatemala)
		<i>Pavo cristatus</i> (Pakistan)
	<i>Pavo muticus</i>	
	<i>Polyplectron bicalcaratum</i>	
	<i>Polyplectron germaini</i>	
	<i>Polyplectron malacense</i>	
<i>Polyplectron napoleonis</i>		



Column I	Column II	Column III
	<i>Polyplectron schleiermacheri</i>	
		<i>Pucrasia macrolopha</i> (Pakistan)
<i>Rheinardia ocellata</i>		
<i>Syrmaticus ellioti</i>		
<i>Syrmaticus humiae</i>		
<i>Syrmaticus mikado</i>		
	<i>Syrmaticus reevesii</i>	
<i>Tetraogallus caspius</i>		
<i>Tetraogallus tibetanus</i>		
<i>Tragopan blythii</i>		
<i>Tragopan caboti</i>		
<i>Tragopan melanocephalus</i>		
		<i>Tragopan satyra</i> (Nepal)
	<i>Tympanuchus cupido attwateri</i>	
GRUIFORMES		
GRUIDAE Cranes		
	GRUIDAE spp. (Except the species included in Column I)	
<i>Antigone canadensis nesiotes</i>		
<i>Antigone canadensis pulla</i>		
<i>Antigone vipio</i>		
<i>Balearica pavonina</i>		
<i>Grus americana</i>		
<i>Grus japonensis</i>		
<i>Grus monacha</i>		

Column I	Column II	Column III
<i>Grus nigricollis</i>		
<i>Leucogeranus leucogeranus</i>		
OTIDIDAE Bustards		
	OTIDIDAE spp. (Except the species included in Column I)	
<i>Ardeotis nigriceps</i>		
<i>Chlamydotis macqueenii</i>		
<i>Chlamydotis undulata</i>		
<i>Houbaropsis bengalensis</i>		
RALLIDAE Lord Howe rail		
<i>Hypotaenidia sylvestris</i>		
RHYNOCHETIDAE Kagu		
<i>Rhynchotos jubatus</i>		
PASSERIFORMES		
ALAUDIDAE Larks		
		<i>Alauda arvensis</i> (Population of Ukraine) (Ukraine)
		<i>Galerida cristata</i> (Population of Ukraine) (Ukraine)
		<i>Lullula arborea</i> (Population of Ukraine) (Ukraine)
		<i>Melanocorypha calandra</i> (Population of Ukraine) (Ukraine)



Column I	Column II	Column III
ATRICHORNITHIDAE Western scrub-bird		
<i>Atrichornis clamosus</i>		
COTINGIDAE Cotingas		
		<i>Cephalopterus ornatus</i> (Colombia)
		<i>Cephalopterus penduliger</i> (Colombia)
<i>Cotinga maculata</i>		
	<i>Rupicola spp.</i>	
<i>Xipholena atropurpurea</i>		
EMBERIZIDAE Cardinals, tanagers		
		<i>Emberiza citrinella</i> (Population of Ukraine) (Ukraine)
		<i>Emberiza hortulana</i> (Population of Ukraine) (Ukraine)
	<i>Gubernatrix cristata</i>	
		<i>Melopyrrha nigra</i> (Cuba)
	<i>Paroaria capitata</i>	
	<i>Paroaria coronata</i>	
	<i>Tangara fastuosa</i>	
		<i>Tiaris canorus</i> (Cuba)
ESTRILDIDAE Mannikins, waxbills		
	<i>Amandava formosa</i>	
	<i>Lonchura oryzivora</i>	
	<i>Poephila cincta cincta</i>	
FRINGILLIDAE Finches		

Column I	Column II	Column III
		<i>Carduelis cannabina</i> (Population of Ukraine) (Ukraine)
		<i>Carduelis carduelis</i> (Population of Ukraine) (Ukraine)
<i>Carduelis cucullata</i>		
		<i>Carduelis flammea</i> (Population of Ukraine) (Ukraine)
		<i>Carduelis hornemanni</i> (Population of Ukraine) (Ukraine)
		<i>Carduelis spinus</i> (Population of Ukraine) (Ukraine)
	<i>Carduelis yarrellii</i>	
		<i>Carpodacus erythrinus</i> (Population of Ukraine) (Ukraine)
		<i>Loxia curvirostra</i> (Population of Ukraine) (Ukraine)
		<i>Pyrrhula pyrrhula</i> (Population of Ukraine) (Ukraine)
		<i>Serinus serinus</i> (Population of Ukraine) (Ukraine)
HIRUNDINIDAE White-eyed river martin		
<i>Pseudochelidon sirintarae</i>		
ICTERIDAE Saffron-cowled blackbird		
<i>Xanthopsar flavus</i>		



Column I	Column II	Column III
MELIPHAGIDAE Helmeted honeyeater		
	<i>Lichenostomus melanops cassidix</i>	
MUSCICAPIDAE Old World flycatchers		
		<i>Acrocephalus rodericanus</i> (Mauritius)
	<i>Copsychus malabaricus</i>	
	<i>Cyornis ruckii</i>	
	<i>Dasyornis broadbenti litoralis</i>	
	<i>Dasyornis longirostris</i>	
		<i>Erithacus rubecula</i> (Population of Ukraine) (Ukraine)
		<i>Ficedula parva</i> (Population of Ukraine) (Ukraine)
	<i>Garrulax canorus</i>	
	<i>Garrulax taewanus</i>	
		<i>Hippolais icterina</i> (Population of Ukraine) (Ukraine)
	<i>Leiothrix argenteauris</i>	
	<i>Garrulax taewanus</i>	
		<i>Hippolais icterina</i> (Population of Ukraine) (Ukraine)
	<i>Leiothrix argenteauris</i>	
	<i>Leiothrix lutea</i>	
	<i>Liocichla omeiensis</i>	

Column I	Column II	Column III
		<i>Luscinia luscinia</i> (Population of Ukraine) (Ukraine)
		<i>Luscinia megarhynchos</i> (Population of Ukraine) (Ukraine)
		<i>Luscinia svecica</i> (Population of Ukraine) (Ukraine)
		<i>Monticola saxatilis</i> (Population of Ukraine) (Ukraine)
<i>Picathartes gymnocephalus</i>		
<i>Picathartes oreas</i>		
		<i>Sylvia atricapilla</i> (Population of Ukraine) (Ukraine)
		<i>Sylvia borin</i> (Population of Ukraine) (Ukraine)
		<i>Sylvia curruca</i> (Population of Ukraine) (Ukraine)
		<i>Sylvia nisoria</i> (Population of Ukraine) (Ukraine)
		<i>Terpsiphone bourbonnensis</i> (Mauritius)
		<i>Turdus merula</i> (Population of Ukraine) (Ukraine)
		<i>Turdus philomelos</i> (Population of Ukraine) (Ukraine)
ORIOLIDAE Oriole		
		<i>Oriolus oriolus</i> (Population of Ukraine) (Ukraine)



Column I	Column II	Column III
PARADISAEIDAE Birds of paradise		
	PARADISAEIDAE spp.	
PARIDAE Tit		
		<i>Parus ater</i> (Population of Ukraine) (Ukraine)
PITTIDAE Pittas		
	<i>Pitta guajana</i>	
<i>Pitta gurneyi</i>		
<i>Pitta kochi</i>		
	<i>Pitta nympha</i>	
PYCNONOTIDAE Straw-headed bulbul		
<i>Pycnonotus zeylanicus</i>		
STURNIDAE Mynas		
	<i>Gracula religiosa</i>	
<i>Leucopsar rothschildi</i>		
TROGLODYTIDAE Wren		
		<i>Troglodytes troglodytes</i> (Population of Ukraine) (Ukraine)
ZOSTEROPIDAE White-chested whiteeye		
<i>Zosterops albogularis</i>		
PELECANIFORMES		
FREGATIDAE Christmas frigatebird		

Column I	Column II	Column III
<i>Fregata andrewsi</i>		
PELECANIDAE Dalmatian pelican		
<i>Pelecanus crispus</i>		
SULIDAE Abbot's booby		
<i>Papasula abbotti</i>		
PICIFORMES		
CAPITONIDAE Toucan barbet		
		<i>Semnornis ramphastinus</i> (Colombia)
PICIDAE Tristram's woodpecker		
<i>Dryocopus javensis richardsi</i>		
RAMPHASTIDAE Toucans		
		<i>Bailloniuss bailloni</i> (Argentina)
	<i>Pteroglossus aracari</i>	
		<i>Pteroglossus castanotis</i> (Argentina)
	<i>Pteroglossus viridis</i>	
		<i>Ramphastos dicolorus</i> (Argentina)
	<i>Ramphastos sulfuratus</i>	
	<i>Ramphastos toco</i>	
	<i>Ramphastos tucanus</i>	
	<i>Ramphastos vitellinus</i>	
		<i>Selenidera maculirostris</i> (Argentina)



Column I	Column II	Column III
PODICIPEDIFORMES		
PODICIPEDIDAE Giant grebe		
<i>Podilymbus gigas</i>		
PROCELLARIIFORMES		
DIOMEDEIDAE Short-tailed albatross		
	<i>Phoebastria albatrus</i>	
PSITTACIFORMES		
	Psittaciformes spp. (Except the species included in Column I and <i>Agapornis roseicollis</i> , <i>Melopsittacus undulatus</i> , <i>Nymphicus hollandicus</i> and <i>Psittacula krameri</i> which are not included in the Columns)	
CACATUIDAE Cockatoos		
<i>Cacatua goffiniana</i>		
<i>Cacatua haematuropygia</i>		
<i>Cacatua moluccensis</i>		
<i>Cacatua sulphurea</i>		
<i>Probosciger aterrimus</i>		
LORIIDAE Lories		
<i>Eos histrio</i>		
<i>Vini ultramarina</i>		

Column I	Column II	Column III
PSITTACIDAE Amazons, macaws, parakeets, parrots		
<i>Amazona araushiaca</i>		
<i>Amazona auropalliata</i>		
<i>Amazona barbadensis</i>		
<i>Amazona brasiliensis</i>		
<i>Amazona finschi</i>		
<i>Amazona guildingii</i>		
<i>Amazona imperialis</i>		
<i>Amazona leucocephala</i>		
<i>Amazona oratrix</i>		
<i>Amazona pretrei</i>		
<i>Amazona rhodocorytha</i>		
<i>Amazona tucumana</i>		
<i>Amazona versicolor</i>		
<i>Amazona vinacea</i>		
<i>Amazona viridigenalis</i>		
<i>Amazona vittata</i>		
<i>Anodorhynchus spp.</i>		
<i>Ara ambiguus</i>		
<i>Ara glaucogularis</i>		
<i>Ara macao</i>		
<i>Ara militaris</i>		
<i>Ara rubrogenys</i>		
<i>Cyanopsitta spixii</i>		
<i>Cyanoramphus cookii</i>		
<i>Cyanoramphus forbesi</i>		
<i>Cyanoramphus novaezelandiae</i>		
<i>Cyanoramphus saisseti</i>		
<i>Cyclopsitta diophthalma coxeni</i>		



Column I	Column II	Column III
<i>Eunymphicus cornutus</i>		
<i>Guarouba guarouba</i>		
<i>Neophema chrysogaster</i>		
<i>Ognorhynchus icterotis</i>		
<i>Pezoporus flaviventris</i>		
<i>Pezoporus occidentalis</i>		
<i>Pezoporus wallicus</i>		
<i>Pionopsitta pileata</i>		
<i>Primolius couloni</i>		
<i>Primolius maracana</i>		
<i>Psephotellus chryspterygius</i>		
<i>Psephotellus dissimilis</i>		
<i>Psephotellus pulcherrimus</i>		
<i>Psittacula echo</i>		
<i>Psittacus erithacus</i>		
<i>Pyrrhura cruentata</i>		
<i>Rhynchopsitta</i> spp.		
<i>Strigops habroptila</i>		
RHEIFORMES		
RHEIDAE Rheas		
<i>Pterocnemia pennata</i> (Except the subspecies included in Column II)		
	<i>Pterocnemia pennata pennata</i>	
	<i>Rhea americana</i>	
SPHENISCIFORMES		

Column I	Column II	Column III
SPHENISCIDAE Penguins		
	<i>Spheniscus demersus</i>	
<i>Spheniscus humboldti</i>		
STRIGIFORMES Owls		
	Strigiformes spp. (Except the species included in Column I and <i>Sceloglaux albifacies</i> which is not included in the Columns)	
STRIGIDAE Owls		
<i>Heteroglaux blewitti</i>		
<i>Mimizuku gurneyi</i>		
<i>Ninox natalis</i>		
TYTONIDAE Barn owls		
<i>Tyto soumagnei</i>		
STRUTHIONIFORMES		
STRUTHIONIDAE Ostriches		
<i>Struthio camelus</i> (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; no other population is included in the Columns)		
TINAMIFORMES		



Column I	Column II	Column III
TINAMIDAE Solitary tinamou		
<i>Tinamus solitarius</i>		
TROGONIFORMES		
TROGONIDAE Magnificent quetzal		
<i>Pharomachrus mocinno</i>		
CLASS REPTILIA (REPTILES)		
CROCODYLIA Alligators, caimans, crocodiles		
	Crocodylia spp. (Except the species included in Column I)	
ALLIGATORIDAE Alligators, caimans		
<i>Alligator sinensis</i>		
<i>Caiman crocodilus apaporiensis</i>		
<i>Caiman latirostris</i> (Except the populations of Argentina and Brazil ^{A11} , which are included in Column II)		
<i>Melanosuchus niger</i> (Except the populations of Brazil and Ecuador ^{A12} which are included in Column II)		
CROCODYLIDAE Crocodiles		
<i>Crocodylus acutus</i> (Except the populations of		

Column I	Column II	Column III
Colombia [Integrated Management District of Mangroves of the Bay of Cispata, Tinajones, La Balsa and Surrounding Areas, Department of Córdoba], Cuba and Mexico ^{A13} which are included in Column II)		
<i>Crocodylus cataphractus</i>		
<i>Crocodylus intermedius</i>		
<i>Crocodylus mindorensis</i>		
<i>Crocodylus moreletii</i> (Except the populations of Belize ^{A14} and Mexico, which are included in Column II)		
<i>Crocodylus niloticus</i> (Except the populations of Botswana, Egypt ^{A15} , Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania ^{A16} , Zambia and Zimbabwe, which are included in Column II)		
<i>Crocodylus palustris</i>		
<i>Crocodylus porosus</i> (Except the populations of Australia, Indonesia, Malaysia ^{A17} , Papua New Guinea and the Philippines [population of the Palawan Islands] ^{A18} , which are included in Column II)		
<i>Crocodylus rhombifer</i>		



Column I	Column II	Column III
<i>Crocodylus siamensis</i>		
<i>Osteolaemus tetraspis</i>		
<i>Tomistoma schlegelii</i>		
GAVIALIDAE Indian gavial		
<i>Gavialis gangeticus</i>		
RHYNCHOCEPHALIA		
SPHENODONTIDAE Tuatara		
<i>Sphenodon spp.</i>		
SAURIA		
AGAMIDAE Spiny-tailed lizards, agamas		
		<i>Calotes ceylonensis</i> (Sri Lanka)
		<i>Calotes desilvai</i> (Sri Lanka)
		<i>Calotes liocephalus</i> (Sri Lanka)
		<i>Calotes liolepis</i> (Sri Lanka)
		<i>Calotes manamendrai</i> (Sri Lanka)
		<i>Calotes nigrilabris</i> (Sri Lanka)
		<i>Calotes pethiyagodai</i> (Sri Lanka)
	<i>Ceratophora aspera</i> ^{A19}	
<i>Ceratophora erdeleni</i>		
<i>Ceratophora karu</i>		

Column I	Column II	Column III
	<i>Ceratophora stoddartii</i> A19	
<i>Ceratophora tennentii</i>		
<i>Cophotis ceylanica</i>		
<i>Cophotis dumbara</i>		
		<i>Ctenophorus</i> spp. (Australia)
		<i>Intellagama</i> spp. (Australia)
	<i>Lyriocephalus scutatus</i> A19	
	<i>Physignathus cocincinus</i>	
	<i>Saara</i> spp.	
		<i>Tympanocryptis</i> spp. (Australia)
	<i>Uromastyx</i> spp.	
ANGUIDAE Alligator lizards		
	<i>Abronia</i> spp. ^{A20} (Except the species included in Column I)	
<i>Abronia anzuetoii</i>		
<i>Abronia campbelli</i>		
<i>Abronia fimbriata</i>		
<i>Abronia frosti</i>		
<i>Abronia meledona</i>		
CHAMAELEONIDAE Chameleons		
	<i>Archaius</i> spp.	
	<i>Bradypodion</i> spp.	
	<i>Brookesia</i> spp. (Except the species included in Column I)	
<i>Brookesia perarmata</i>		



Column I	Column II	Column III
	<i>Calumma</i> spp.	
	<i>Chamaeleo</i> spp.	
	<i>Furcifer</i> spp.	
	<i>Kinyongia</i> spp.	
	<i>Nadzikambia</i> spp.	
	<i>Palleon</i> spp.	
	<i>Rhampholeon</i> spp.	
	<i>Rieppeleon</i> spp.	
	<i>Trioceros</i> spp.	
CORDYLIDAE Spiny-tailed lizards		
	<i>Cordylus</i> spp.	
	<i>Hemicordylus</i> spp.	
	<i>Karusaurus</i> spp.	
	<i>Namazonurus</i> spp.	
	<i>Ninurta</i> spp.	
	<i>Ouroborus</i> spp.	
	<i>Pseudocordylus</i> spp.	
	<i>Smaug</i> spp.	
EUBLEPHARIDAE Eyelid geckos		
	<i>Goniurosaurus</i> spp. (Except the species native to Japan)	
		<i>Goniurosaurus kuroi</i> wae #18 (Japan)
		<i>Goniurosaurus orientalis</i> #18 (Japan)
		<i>Goniurosaurus sengokui</i> #18 (Japan)
		<i>Goniurosaurus splendens</i> #18 (Japan)

Column I	Column II	Column III
		<i>Goniurosaurus toyamai</i> ^{#18} (Japan)
		<i>Goniurosaurus yamashinae</i> ^{#18} (Japan)
GEKKONIDAE Geckos		
		<i>Ailuronyx spp.</i> (Seychelles)
		<i>Carphodactylus spp.</i> (Australia)
<i>Cnemaspis psychedelica</i>		
	<i>Cyrtodactylus jeyporensis</i>	
		<i>Dactylocnemis spp.</i> (New Zealand)
	<i>Gekko gekko</i>	
<i>Gonatodes daudini</i>		
		<i>Hoplodactylus spp.</i> (New Zealand)
<i>Lygodactylus williamsi</i>		
	<i>Nactus serpensinsula</i>	
	<i>Naultinus spp.</i>	
		<i>Nephrurus spp.</i> (Australia)
		<i>Orraya spp.</i> (Australia)
	<i>Paroedura androyensis</i>	
	<i>Paroedura masobe</i>	
	<i>Phelsuma spp.</i>	
		<i>Phyllurus spp.</i> (Australia)
	<i>Rhoptropella spp.</i>	
		<i>Saltuarius spp.</i> (Australia)
		<i>Sphaerodactylus armasi</i> (Cuba)
		<i>Sphaerodactylus celicara</i> (Cuba)



Column I	Column II	Column III
		<i>Sphaerodactylus dimorphicus</i> (Cuba)
		<i>Sphaerodactylus intermedius</i> (Cuba)
		<i>Sphaerodactylus nigropunctatus alayoi</i> (Cuba)
		<i>Sphaerodactylus nigropunctatus granti</i> (Cuba)
		<i>Sphaerodactylus nigropunctatus lissodesmus</i> (Cuba)
		<i>Sphaerodactylus nigropunctatus ocujal</i> (Cuba)
		<i>Sphaerodactylus nigropunctatus strategus</i> (Cuba)
		<i>Sphaerodactylus notatus atactus</i> (Cuba)
		<i>Sphaerodactylus oliveri</i> (Cuba)
		<i>Sphaerodactylus pimienta</i> (Cuba)
		<i>Sphaerodactylus ruibali</i> (Cuba)
		<i>Sphaerodactylus siboney</i> (Cuba)
		<i>Sphaerodactylus torrei</i> (Cuba)
		<i>Strophurus</i> spp. (Australia)
	<i>Tarentola chazaliae</i>	
		<i>Toropuku</i> spp. (New Zealand)

Column I	Column II	Column III
		<i>Tukutuku</i> spp. (New Zealand)
		<i>Underwoodisaurus</i> spp. (Australia)
	<i>Uroplatus</i> spp.	
		<i>Uvidicolus</i> spp. (Australia)
		<i>Woodworthia</i> spp. (New Zealand)
HELODERMATIDAE Beaded lizards, Gila monster		
	<i>Heloderma</i> spp. (Except the subspecies included in Column I)	
<i>Heloderma horridum charlesbogerti</i>		
IGUANIDAE Iguanas		
	<i>Amblyrhynchus cristatus</i>	
<i>Brachylophus</i> spp.		
	<i>Conolophus</i> spp.	
	<i>Ctenosaura</i> spp.	
<i>Cyclura</i> spp.		
	<i>Iguana</i> spp.	
<i>Sauromalus varius</i>		
LACERTIDAE Lizards		
<i>Gallotia simonyi</i>		
	<i>Podarcis lilfordi</i>	
	<i>Podarcis pityusensis</i>	
LANTHANOTIDAE Earless monitor lizards		
	<i>Lanthanotidae</i> spp. ^{A19}	
PHRYNOSOMATIDAE Horned lizards		



Column I	Column II	Column III
	<i>Phrynosoma</i> spp.	
POLYCHROTIDAE Anoles		
		<i>Anolis agueroi</i> (Cuba)
		<i>Anolis baracoae</i> (Cuba)
		<i>Anolis barbatus</i> (Cuba)
		<i>Anolis chamaeleonides</i> (Cuba)
		<i>Anolis equestris</i> (Cuba)
		<i>Anolis guamuhaya</i> (Cuba)
		<i>Anolis luteocularis</i> (Cuba)
		<i>Anolis pigmaequestris</i> (Cuba)
		<i>Anolis porcus</i> (Cuba)
SCINCIDAE Solomon Islands giant skink		
	<i>Corucia zebrata</i>	
		<i>Egernia</i> spp. (Australia)
<i>Tiliqua adelaidensis</i>		
		<i>Tiliqua multifasciata</i> (Australia)
		<i>Tiliqua nigrolutea</i> (Australia)
		<i>Tiliqua occipitalis</i> (Australia)
		<i>Tiliqua rugosa</i> (Australia)
		<i>Tiliqua scincoides intermedia</i> (Australia)
		<i>Tiliqua scincoides scincoides</i> (Australia)
TEIIDAE Caiman lizards, tegu lizards		

Column I	Column II	Column III
	<i>Crocodylus amazonicus</i>	
	<i>Dracaena</i> spp.	
	<i>Salvator</i> spp.	
	<i>Tupinambis</i> spp.	
VARANIDAE Monitor lizards		
	<i>Varanus</i> spp. (Except the species included in Column I)	
<i>Varanus bengalensis</i>		
<i>Varanus flavescens</i>		
<i>Varanus griseus</i>		
<i>Varanus komodoensis</i>		
<i>Varanus nebulosus</i>		
XENOSAURIDAE Chinese crocodile lizard		
<i>Shinisaurus crocodilurus</i>		
SERPENTES		
BOIDAE Boas		
	<i>Boidae</i> spp. (Except the species included in Column I)	
<i>Acrantophis</i> spp.		
<i>Boa constrictor occidentalis</i>		
<i>Chilabothrus monensis</i>		
<i>Chilabothrus subflavus</i>		
<i>Sanzinia madagascariensis</i>		
BOLYERIIDAE Round Island boas		



Column I	Column II	Column III
	<i>Bolyeriidae</i> spp. (Except the species included in Column I)	
<i>Bolyeria multocarinata</i>		
<i>Casarea dussumieri</i>		
COLUBRIDAE Typical snakes, water snakes, whipsnakes		
		<i>Atretium schistosum</i> (India)
		<i>Cerberus rynchops</i> (India)
	<i>Clelia clelia</i>	
	<i>Cyclagras gigas</i>	
	<i>Elachistodon westermanni</i>	
	<i>Ptyas mucosus</i>	
		<i>Xenochrophis piscator</i> (India)
		<i>Xenochrophis schnurrenbergeri</i> (India)
		<i>Xenochrophis tyleri</i> (India)
ELAPIDAE Cobras, coral snakes		
	<i>Hoplocephalus bungaroides</i>	
		<i>Micrurus diastema</i> (Honduras)
		<i>Micrurus nigrocinctus</i> (Honduras)
		<i>Micrurus ruatanus</i> (Honduras)
	<i>Naja atra</i>	
	<i>Naja kaouthia</i>	

Column I	Column II	Column III
	<i>Naja mandalayensis</i>	
	<i>Naja naja</i>	
	<i>Naja oxiana</i>	
	<i>Naja philippinensis</i>	
	<i>Naja sagittifera</i>	
	<i>Naja samarensis</i>	
	<i>Naja siamensis</i>	
	<i>Naja sputatrix</i>	
	<i>Naja sumatrana</i>	
	<i>Ophiophagus hannah</i>	
LOXOCEMIDAE Mexican dwarf boas		
	<i>Loxocemidae spp.</i>	
PYTHONIDAE Pythons		
	<i>Pythonidae spp.</i> (Except the species included in Column I)	
<i>Python molurus</i>		
TROPIDOPHIIDAE Wood boas		
	<i>Tropidophiidae spp.</i>	
VIPERIDAE Vipers		
	<i>Atheris desaixi</i>	
	<i>Bitis worthingtoni</i>	
		<i>Crotalus durissus</i> (Honduras)
		<i>Daboia palaestinae</i> (Israel)
		<i>Daboia russelii</i> (India)
	<i>Montivipera wagneri</i>	



Column I	Column II	Column III
	<i>Protobothrops mangshanensis</i>	
	<i>Pseudocerastes urarachnoides</i>	
<i>Vipera ursinii</i> (Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Columns)		
TESTUDINES		
CARETTOCHELYIDAE Pig-nosed turtle		
	<i>Carettochelys insculpta</i>	
CHELIDAE Roti snake-necked turtle, Western swamp tortoise		
	<i>Chelodina mccordi</i> ^{A21}	
	<i>Chelus fimbriatus</i> (Includes <i>Chelus orinocensis</i>)	
<i>Pseudemydura umbrina</i>		
CHELONIIDAE Sea turtles		
Cheloniidae spp.		
CHELYDRIDAE Snapping turtles		
	<i>Chelydra serpentina</i>	
	<i>Macrochelys temminckii</i>	
DERMATEMYDIDAE Central American river turtles		

Column I	Column II	Column III
	<i>Dermatemys mawii</i>	
DERMOCHELYIDAE Leatherback turtles		
<i>Dermochelys coriacea</i>		
EMYDIDAE Box turtles, freshwater turtles		
	<i>Clemmys guttata</i>	
	<i>Emydoidea blandingii</i>	
		<i>Emys orbicularis</i> (Population of Ukraine) (Ukraine)
	<i>Glyptemys insculpta</i>	
<i>Glyptemys muhlenbergii</i>		
		<i>Graptemys</i> spp. (Except the species included in Column II) (United States of America)
	<i>Graptemys barbouri</i>	
	<i>Graptemys ernsti</i>	
	<i>Graptemys gibbonsi</i>	
	<i>Graptemys pearlensis</i>	
	<i>Graptemys pulchra</i>	
	<i>Malaclemys terrapin</i>	
	<i>Terrapene</i> spp. (Except the species included in Column I)	
<i>Terrapene coahuila</i>		
GEOEMYDIDAE Box turtles, freshwater turtles		
<i>Batagur affinis</i>		
<i>Batagur baska</i>		
	<i>Batagur borneoensis</i> ^{A22}	
	<i>Batagur dhongoka</i>	



Column I	Column II	Column III
<i>Batagur kachuga</i>		
	<i>Batagur trivittata</i> ^{A22}	
	<i>Cuora</i> spp. ^{A22} (Except the species included in Column I)	
<i>Cuora bourreti</i>		
<i>Cuora galbinifrons</i>		
<i>Cuora picturata</i>		
	<i>Cyclemys</i> spp.	
<i>Geoclemys hamiltonii</i>		
	<i>Geoemyda japonica</i>	
	<i>Geoemyda spengleri</i>	
	<i>Hardella thurjii</i>	
	<i>Heosemys annandalii</i> ^{A22}	
	<i>Heosemys depressa</i> ^{A22}	
	<i>Heosemys grandis</i>	
	<i>Heosemys spinosa</i>	
	<i>Leucocephalon yuwonoi</i>	
	<i>Malayemys khoratensis</i>	
	<i>Malayemys macrocephala</i>	
	<i>Malayemys subtrijuga</i>	
<i>Mauremys annamensis</i>		
		<i>Mauremys iversoni</i> (China)
	<i>Mauremys japonica</i>	
		<i>Mauremys megalcephala</i> (China)
	<i>Mauremys mutica</i>	
	<i>Mauremys nigricans</i>	
		<i>Mauremys pritchardi</i> (China)
		<i>Mauremys reevesii</i> (China)
		<i>Mauremys sinensis</i> (China)

Column I	Column II	Column III
<i>Melanochelys tricarinata</i>		
	<i>Melanochelys trijuga</i>	
<i>Morenia ocellata</i>		
	<i>Morenia petersi</i>	
	<i>Notochelys platynota</i>	
		<i>Ocadia glyphistoma</i> (China)
		<i>Ocadia philippeni</i> (China)
	<i>Orlitia borneensis</i> ^{A22}	
	<i>Pangshura</i> spp. (Except the species included in Column I)	
<i>Pangshura tecta</i>		
	<i>Rhinoclemmys</i> spp.	
	<i>Sacalia bealei</i>	
		<i>Sacalia pseudocellata</i> (China)
	<i>Sacalia quadriocellata</i>	
	<i>Siebenrockiella crassicollis</i>	
	<i>Siebenrockiella leyensis</i>	
	<i>Vijayachelys silvatica</i>	
KINOSTERNIDAE Mud turtles		
	<i>Claudius angustatus</i>	
	<i>Kinosternon</i> spp. (Except the species included in Column I)	
<i>Kinosternon cora</i>		
<i>Kinosternon vogti</i>		
	<i>Staurotypus salvinii</i>	
	<i>Staurotypus triporcatus</i>	
	<i>Sternotherus</i> spp.	
PLATYSTERNIDAE Big-headed turtles		



Column I	Column II	Column III
Platysternidae spp.		
PODOCNEMIDIDAE Afro-American sideneck turtles		
	<i>Erymnochelys madagascariensis</i>	
	<i>Peltocephalus dumerilianus</i>	
	<i>Podocnemis spp.</i>	
TESTUDINIDAE Tortoises		
	Testudinidae spp. ^{A23} (Except the species included in Column I)	
<i>Astrochelys radiata</i>		
<i>Astrochelys yniphora</i>		
<i>Chelonoidis niger</i>		
<i>Geochelone elegans</i>		
<i>Geochelone platynota</i>		
<i>Gopherus flavomarginatus</i>		
<i>Malacochersus tornieri</i>		
<i>Psammobates geometricus</i>		
<i>Pyxis arachnoides</i>		
<i>Pyxis planicauda</i>		
<i>Testudo kleinmanni</i>		
TRIONYCHIDAE Softshell turtles		
	<i>Amyda cartilaginea</i>	
	<i>Apalone spp.</i> (Except the subspecies included in Column I)	
<i>Apalone spinifera atra</i>		

Column I	Column II	Column III
	<i>Chitra</i> spp. (Except the species included in Column I)	
<i>Chitra chitra</i>		
<i>Chitra vandijki</i>		
	<i>Cyclanorbis elegans</i>	
	<i>Cyclanorbis senegalensis</i>	
	<i>Cycloderma aubryi</i>	
	<i>Cycloderma frenatum</i>	
	<i>Dogania subplana</i>	
	<i>Lissemys ceylonensis</i>	
	<i>Lissemys punctata</i>	
	<i>Lissemys scutata</i>	
	<i>Nilssonina formosa</i>	
<i>Nilssonina gangetica</i>		
<i>Nilssonina hurum</i>		
<i>Nilssonina leithii</i>		
<i>Nilssonina nigricans</i>		
	<i>Palea steindachneri</i>	
	<i>Pelochelys</i> spp.	
	<i>Pelodiscus axenaria</i>	
	<i>Pelodiscus maackii</i>	
	<i>Pelodiscus parviformis</i>	
	<i>Rafetus euphraticus</i>	
	<i>Rafetus swinhoi</i>	
	<i>Trionyx triunguis</i>	
CLASS AMPHIBIA (AMPHIBIANS)		
ANURA		
AROMOBATIDAE Cryptic forest frogs		



Column I	Column II	Column III
	<i>Allobates femoralis</i>	
	<i>Allobates hodli</i>	
	<i>Allobates myersi</i>	
	<i>Allobates zaparo</i>	
	<i>Anomaloglossus rufulus</i>	
BUFONIDAE Toads		
<i>Altiphrynoides spp.</i>		
<i>Atelopus zeteki</i>		
<i>Incilius periglenes</i>		
<i>Nectophrynoides spp.</i>		
<i>Nimbaphrynoides spp.</i>		
<i>Sclerophrys channingi</i>		
<i>Sclerophrys superciliaris</i>		
CALYPTOCEPHALELLIDAE Chilean toad		
		<i>Calyptocephalella gayi</i> (Chile)
CENTROLENIDAE Glass frogs		
	Centrolenidae spp.	
DENDROBATIDAE Poison frogs		
	<i>Adelphobates spp.</i>	
	<i>Ameerega spp.</i>	
	<i>Andinobates spp.</i>	
	<i>Dendrobates spp.</i>	
	<i>Epipedobates spp.</i>	
	<i>Excidobates spp.</i>	
	<i>Hyloxalus azureiventris</i>	

Column I	Column II	Column III
	<i>Minyobates</i> spp.	
	<i>Oophaga</i> spp.	
	<i>Paruwrobates andinus</i>	
	<i>Paruwrobates erythromos</i>	
	<i>Phyllobates</i> spp.	
	<i>Ranitomeya</i> spp.	
DICROGLOSSIDAE Indian bullfrogs		
	<i>Euphlyctis hexadactylus</i>	
	<i>Hoplobatrachus tigerinus</i>	
HYLIDAE Tree frogs		
	<i>Agalychnis</i> spp. ^{A24} (Includes <i>Agalychnis</i> <i>annae</i> , <i>A. callidryas</i> , <i>A.</i> <i>lemur</i> , <i>A. moreletii</i> , <i>A.</i> <i>saltator</i> , <i>A. spurrelli</i> and <i>A. terranova</i>)	
MANTELLIDAE Mantella frogs		
	<i>Mantella</i> spp.	
MICROHYLIDAE Tomato frogs		
		<i>Dyscophus antongilii</i>
		<i>Dyscophus guineti</i>
		<i>Dyscophus insularis</i>
		<i>Scaphiophryne boribory</i>
		<i>Scaphiophryne gottlebei</i>
		<i>Scaphiophryne marmorata</i>
		<i>Scaphiophryne spinosa</i>
MYOBATRACHIDAE Gastric-brooding frogs		



Column I	Column II	Column III
	<i>Rheobatrachus</i> spp. (Except <i>Rheobatrachus silus</i> and <i>Rheobatrachus vitellinus</i> which are not included in the Columns)	
TELMATOBIIDAE Titicaca water frog		
<i>Telmatobius culeus</i>		
CAUDATA		
AMBYSTOMATIDAE Axolotl, mole salamander		
	<i>Ambystoma dumerilii</i>	
	<i>Ambystoma mexicanum</i>	
CRYPTOBRANCHIDAE Giant salamanders		
<i>Andrias</i> spp.		
		<i>Cryptobranchus alleganiensis</i> (United States of America)
HYNOBIIDAE Asiatic salamander		
		<i>Hynobius amjiensis</i> (China)
SALAMANDRIDAE Newts and salamanders		
		<i>Echinotriton andersoni</i> ^{#18} (Japan)
	<i>Echinotriton chinhaiensis</i>	
	<i>Echinotriton maxiquadratus</i>	
	<i>Laotriton laoensis</i> ^{A24}	

Column I	Column II	Column III
<i>Neurergus kaiseri</i>		
	<i>Paramesotriton</i> spp.	
		<i>Salamandra algira</i> (Algeria)
	<i>Tylototriton</i> spp.	
CLASS ELASMOBRANCHII (SHARKS)		
CARCHARHINIFORMES		
CARCHARHINIDAE Requiem sharks		
	Carcharhinidae spp.	
SPHYRNIDAE Hammerhead sharks		
	Sphyrnidae spp.	
LAMNIFORMES		
ALOPIIDAE Thresher sharks		
	Alopias spp.	
CETORHINIDAE Basking shark		
	Cetorhinus <i>maximus</i>	
LAMNIDAE Mackerel sharks		
	Carcharodon <i>carcharias</i>	
	Isurus <i>oxyrinchus</i>	
	Isurus <i>paucus</i>	
	Lamna <i>nasus</i>	
MYLIOBATIFORMES		



Column I	Column II	Column III
MYLIOBATIDAE Eagle and mobulid rays		
	<i>Mobula spp.</i>	
POTAMOTRYGONIDAE Freshwater stingrays		
		<i>Paratrygon aiereba</i> (Colombia)
		<i>Potamotrygon spp.</i> (Only the populations of Brazil not included in Column II) (Brazil)
	<i>Potamotrygon albimaculata</i>	
		<i>Potamotrygon constellata</i> (Colombia)
	<i>Potamotrygon henlei</i>	
	<i>Potamotrygon jabuti</i>	
	<i>Potamotrygon leopoldi</i>	
		<i>Potamotrygon magdalenae</i> (Colombia)
	<i>Potamotrygon marquesi</i>	
		<i>Potamotrygon motoro</i> (Colombia)
		<i>Potamotrygon orbignyi</i> (Colombia)
		<i>Potamotrygon schroederi</i> (Colombia)
		<i>Potamotrygon scobina</i> (Colombia)
	<i>Potamotrygon signata</i>	
	<i>Potamotrygon wallacei</i>	
		<i>Potamotrygon yepezi</i> (Colombia)
ORECTOLOBIFORMES		

Column I	Column II	Column III
RHINCODONTIDAE Whale shark		
	<i>Rhincodon typus</i>	
PRISTIFORMES		
PRISTIDAE Sawfishes		
Pristidae spp.		
RHINOPRISTIFORMES		
GLAUCOSTEGIDAE Guitarfishes		
	<i>Glaucostegus spp.</i>	
RHINIDAE Wedgefishes		
	Rhinidae spp.	
RHINOBATIDAE Guitarfishes		
	Rhinobatidae spp.	
CLASS ACTINOPTERI (FISHES)		
ACIPENSERIFORMES		
	Acipenseriformes spp. (Except the species included in Column I)	
ACIPENSERIDAE Sturgeons		
<i>Acipenser brevirostrum</i>		
<i>Acipenser sturio</i>		



Column I	Column II	Column III
ANGUILLIFORMES		
ANGUILLIDAE River eel		
	<i>Anguilla anguilla</i>	
CYPRINIFORMES		
CATOSTOMIDAE Cui-ui		
<i>Chasmistes cujus</i>		
CYPRINIDAE Carps		
	<i>Caecobarbus geertsii</i>	
<i>Probarbus jullieni</i>		
OSTEOGLOSSIFORMES		
ARAPAIMIDAE Arapaima		
	<i>Arapaima gigas</i>	
OSTEOGLOSSIDAE Bonytongues		
<i>Scleropages formosus</i>		
<i>Scleropages inscriptus</i>		
PERCIFORMES		
LABRIDAE Humphead wrasse		
	<i>Cheilinus undulatus</i>	
POMACANTHIDAE Angelfish		
	<i>Holacanthus clarionensis</i>	

Column I	Column II	Column III
		<i>Holacanthus limbaughi</i> (France)
SCIAENIDAE Totoaba		
<i>Totoaba macdonaldi</i>		
SILURIFORMES		
LORICARIIDAE Armoured catfish		
	<i>Hypancistrus zebra</i> ^{A19}	
PANGASIIDAE Giant catfish		
<i>Pangasianodon gigas</i>		
SYNGNATHIFORMES		
SYNGNATHIDAE Seahorses		
	<i>Hippocampus spp.</i>	
CLASS DIPNEUSTI (LUNGFISHES)		
CERATODONTIFORMES		
NEOCERATODONTIDAE Queensland lungfish		
	<i>Neoceratodus forsteri</i>	
CLASS COELACANTHI (COELACANTHS)		
COELACANTHIFORMES		



Column I	Column II	Column III
LATIMERIIDAE Coelacanths		
<i>Latimeria</i> spp.		
PHYLUM ECHINODERMATA CLASS HOLOTHUROIDEA (SEA CUCUMBERS)		
ASPIDOCHIROTIDA		
STICHOPODIDAE Sea cucumbers		
		<i>Isostichopus fuscus</i> (Ecuador)
	<i>Thelenota</i> spp.	
HOLOTHURIIDA		
HOLOTHURIIDAE Teatfishes, sea cucumbers		
	<i>Holothuria fuscogilva</i>	
	<i>Holothuria nobilis</i>	
	<i>Holothuria whitmaei</i>	
PHYLUM ARTHROPODA CLASS ARACHNIDA (SCORPIONS AND SPIDERS)		
ARANEAE		
THERAPHOSIDAE Red-kneed tarantulas, tarantulas		
	<i>Aphonopelma pallidum</i>	
	<i>Brachypelma</i> spp.	
		<i>Caribena versicolor</i> (European Union)

Column I	Column II	Column III
	<i>Poecilotheria</i> spp.	
	<i>Sericopelma angustum</i>	
	<i>Sericopelma embrithes</i>	
	<i>Tiliotatl</i> spp.	
SCORPIONES		
SCORPIONIDAE Scorpions		
	<i>Pandinus camerounensis</i>	
	<i>Pandinus dictator</i>	
	<i>Pandinus gambiensis</i>	
	<i>Pandinus imperator</i>	
	<i>Pandinus roeseli</i>	
CLASS INSECTA (INSECTS)		
COLEOPTERA		
LUCANIDAE Stag beetles		
		<i>Colophon</i> spp. (South Africa)
SCARABAEIDAE Satanas beetle		
	<i>Dynastes satanas</i>	
LEPIDOPTERA		
NYMPHALIDAE Brush-footed butterflies		
		<i>Agrias amydon boliviensis</i> (Plurinational State of Bolivia)



Column I	Column II	Column III
		<i>Morpho godartii</i> <i>lachaumei</i> (Plurinational State of Bolivia)
		<i>Prepona praeneste</i> <i>buckleyana</i> (Plurinational State of Bolivia)
PAPILIONIDAE Birdwing butterflies, swallowtail butterflies		
<i>Achillides chikae chikae</i>		
<i>Achillides chikae hermeli</i>		
	<i>Atrophaneura jophon</i>	
	<i>Atrophaneura pandiyana</i>	
	<i>Bhutanitis</i> spp.	
	<i>Ornithoptera</i> spp. (Except the species included in Column I)	
<i>Ornithoptera alexandrae</i>		
<i>Papilio homerus</i>		
	<i>Papilio hospiton</i>	
		<i>Papilio phorbanta</i> (European Union)
<i>Parides burchellanus</i>		
	<i>Parnassius apollo</i>	
	<i>Teinopalpus</i> spp.	
	<i>Trogonoptera</i> spp.	
	<i>Troides</i> spp.	
PHYLUM ANNELIDA CLASS HIRUDINOIDEA (LEECHES)		
ARHYNCHOBDELLIDA		
HIRUDINIDAE Medicinal leeches		
	<i>Hirudo medicinalis</i>	
	<i>Hirudo verbana</i>	

Column I	Column II	Column III
PHYLUM MOLLUSCA CLASS BIVALVIA (CLAMS AND MUSSELS)		
MYTILOIDA		
MYTILIDAE Date mussel		
	<i>Lithophaga lithophaga</i>	
UNIONOIDA		
UNIONIDAE Freshwater mussels, pearly mussels		
<i>Conradilla caelata</i>		
	<i>Cyprogenia aberti</i>	
<i>Dromus dromas</i>		
<i>Epioblasma curtisi</i>		
<i>Epioblasma florentina</i>		
<i>Epioblasma sampsonii</i>		
<i>Epioblasma sulcata</i> <i>perobliqua</i>		
<i>Epioblasma torulosa</i> <i>gubernaculum</i>		
	<i>Epioblasma torulosa</i> <i>rangiana</i>	
<i>Epioblasma torulosa</i> <i>torulosa</i>		
<i>Epioblasma turgidula</i>		
<i>Epioblasma walkeri</i>		
<i>Fusconaia cuneolus</i>		
<i>Fusconaia edgariana</i>		
<i>Lampsilis higginsii</i>		



Column I	Column II	Column III
<i>Lampsilis orbiculata orbiculata</i>		
<i>Lampsilis satur</i>		
<i>Lampsilis virescens</i>		
<i>Plethobasus cicatricosus</i>		
<i>Plethobasus cooperianus</i>		
	<i>Pleurobema clava</i>	
<i>Pleurobema plenum</i>		
<i>Potamilus capax</i>		
<i>Quadrula intermedia</i>		
<i>Quadrula sparsa</i>		
<i>Toxolasma cylindrella</i>		
<i>Unio nickliniana</i>		
<i>Unio tampicoensis tecomatensis</i>		
<i>Villosa trabalis</i>		
VENEROIDA		
TRIDACNIDAE Giant clams		
	TRIDACNIDAE spp.	
CLASS CEPHALOPODA (SQUIDS, OCTOPUSES, CUTTLEFISH)		
NAUTILIDA		
NAUTILIDAE Chambered nautilus		
	NAUTILIDAE spp.	
CLASS GASTROPODA (SNAILS AND CONCHES)		

Column I	Column II	Column III
MESOGASTROPODA		
STROMBIDAE Queen conch		
	<i>Strombus gigas</i>	
STYLOMMATOPHORA		
ACHATINELLIDAE Agate snails, oahu tree snails		
<i>Achatinella spp.</i>		
CAMAENIDAE Green tree snail		
	<i>Papustyla pulcherrima</i>	
CEPOLIDAE Helicoid terrestrial snails		
<i>Polymita spp</i>		
PHYLUM CNIDARIA CLASS ANTHOZOA (CORALS AND SEA ANEMONES)		
ANTIPATHARIA Black corals		
	ANTIPATHARIA spp.	
GORGONACEAE		
CORALLIIDAE Red and pink corals		
		<i>Corallium elatius</i> (China)
		<i>Corallium japonicum</i> (China)



Column I	Column II	Column III
		<i>Corallium konjoi</i> (China)
		<i>Corallium secundum</i> (China)
HELIOPORACEA		
HELIOPORIDAE Blue corals		
	Helioporidae spp. ^{A25} (Includes only the species <i>Heliopora coerulea</i>)	
SCLERACTINIA Stony corals		
	Scleractinia spp. ^{A25}	
STOLONIFERA		
TUBIPORIDAE Organ-pipe corals		
	Tubiporidae spp. ^{A25}	
CLASS HYDROZOA (SEA FERNS, FIRE CORALS AND STINGING MEDUSAE)		
MILLEPORINA		
MILLEPORIDAE Fire corals		
	Milleporidae spp. ^{A25}	
STYLASTERINA		
STYLASTERIDAE Lace corals		
	Stylasteridae spp. ^{A25}	



Column I	Column II	Column III
FLORA (PLANTS)		
AGAVACEAE Agaves, bear-grass		
<i>Agave parviflora</i>		
	<i>Agave victoriae-reginae</i> #4	
	<i>Nolina interrata</i>	
	<i>Yucca queretaroensis</i>	
AIZOACEAE Stone plants		
		<i>Conophytum</i> spp. (South Africa)
		<i>Mestoklema tuberosum</i> (South Africa)
AMARYLLIDACEAE Snowdrops, sternbergias		
	<i>Galanthus</i> spp. #4	
	<i>Sternbergia</i> spp. #4	
ANACARDIACEAE Cashews		
	<i>Operculicarya decaryi</i>	
	<i>Operculicarya hyphaenoides</i>	
	<i>Operculicarya pachypus</i>	
APOCYNACEAE Elephant trunks, hoodias, snakewood		
	<i>Hoodia</i> spp. #9	
	<i>Pachypodium</i> spp. #4 (Except the species included in Column I)	



Column I	Column II	Column III
<i>Pachypodium ambongense</i>		
<i>Pachypodium baronii</i>		
<i>Pachypodium decaryi</i>		
<i>Pachypodium windsorii</i>		
		<i>Raphionacme zeyheri</i> (South Africa)
	<i>Rauvolfia serpentina</i> ^{#2}	
ARALIACEAE Ginseng		
	<i>Panax ginseng</i> ^{#3} (Only the population of the Russian Federation; no other population is included in the Columns)	
	<i>Panax quinquefolius</i> ^{#3}	
ARAUCARIACEAE Monkey puzzle		
<i>Araucaria araucana</i>		
ASPARAGACEAE Beaucarnea		
	<i>Beaucarnea</i> spp.	
BERBERIDACEAE Himalyan may-apple		
	<i>Podophyllum hexandrum</i> ^{#2}	
BIGNONIACEAE Trumpet trees		
	<i>Handroanthus</i> spp. ^{#17}	
	<i>Roseodendron</i> spp. ^{#17}	
	<i>Tabebuia</i> spp. ^{#17}	
BROMELIACEAE Tillandsias		

Column I	Column II	Column III
	<i>Tillandsia harrisii</i> ^{#4}	
	<i>Tillandsia kammii</i> ^{#4}	
	<i>Tillandsia xerographica</i> ^{#4}	
CACTACEAE Cacti		
	Cactaceae spp. ^{P1 #4} (Except the species included in Column I and <i>Pereskia</i> spp., <i>Pereskopsis</i> spp. and <i>Quiabentia</i> spp. which are not included in the Columns)	
<i>Ariocarpus</i> spp.		
<i>Astrophytum asterias</i>		
<i>Aztekium ritteri</i>		
<i>Coryphantha werdermannii</i>		
<i>Discocactus</i> spp.		
<i>Echinocereus ferreiranus</i> ssp. <i>lindsayorum</i>		
<i>Echinocereus schmollii</i>		
<i>Escobaria minima</i>		
<i>Escobaria sneedii</i>		
<i>Mammillaria pectinifera</i> (Includes ssp. <i>solisioides</i>)		
<i>Melocactus conoideus</i>		
<i>Melocactus deinacanthus</i>		
<i>Melocactus glaucescens</i>		
<i>Melocactus paucispinus</i>		
<i>Obregonia denegrii</i>		
<i>Pachycereus militaris</i>		



Column I	Column II	Column III
<i>Pediocactus bradyi</i>		
<i>Pediocactus knowltonii</i>		
<i>Pediocactus paradinei</i>		
<i>Pediocactus peeblesianus</i>		
<i>Pediocactus sileri</i>		
<i>Pelecyphora</i> spp.		
<i>Sclerocactus blainei</i>		
<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>		
<i>Sclerocactus brevispinus</i>		
<i>Sclerocactus cloverae</i>		
<i>Sclerocactus erectocentrus</i>		
<i>Sclerocactus glaucus</i>		
<i>Sclerocactus mariposensis</i>		
<i>Sclerocactus mesae-verdae</i>		
<i>Sclerocactus nyensis</i>		
<i>Sclerocactus papyracanthus</i>		
<i>Sclerocactus pubispinus</i>		
<i>Sclerocactus sileri</i>		
<i>Sclerocactus wetlandicus</i>		
<i>Sclerocactus wrightiae</i>		
<i>Strombocactus</i> spp.		
<i>Turbiniacarpus</i> spp.		
<i>Uebelmannia</i> spp.		
CARYOCARACEAE Ajo		
	<i>Caryocar costaricense</i> ^{#4}	
COMPOSITAE (ASTERACEAE) Kuth		

Column I	Column II	Column III
		<i>Crassothonna clavifolia</i> (South Africa)
		<i>Othonna armiana</i> (South Africa)
		<i>Othonna cacalioides</i> (South Africa)
		<i>Othonna euphorbioides</i> (South Africa)
		<i>Othonna retrorsa</i> (South Africa)
<i>Saussurea costus</i>		
CRASSULACEAE Roseroot		
	<i>Rhodiola spp.</i> ^{#2}	
		<i>Tylecodon bodleyae</i> (South Africa)
		<i>Tylecodon nolteei</i> (South Africa)
		<i>Tylecodon reticulatus</i> (South Africa)
CUCURBITACEAE Melons, gourds, cucurbits		
	<i>Zygosicyos pubescens</i>	
	<i>Zygosicyos tripartitus</i>	
CUPRESSACEAE Cypresses		
<i>Fitzroya cupressoides</i>		
<i>Pilgerodendron uviferum</i>		
	<i>Widdringtonia whytei</i>	
CYATHEACEAE Tree-ferns		
	<i>Cyathea spp.</i> ^{#4}	



Column I	Column II	Column III
CYCADACEAE Cycads		
	Cycadaceae spp. ^{#4} (Except the species included in Column I)	
<i>Cycas beddomei</i>		
DICKSONIACEAE Tree-ferns		
	<i>Cibotium barometz</i> ^{#4}	
	<i>Dicksonia</i> spp. ^{#4} (Only the populations of the Americas; no other population is included in the Columns)	
DIDIEREACEAE Alluaudias, didiereas		
	<i>Didiereaceae</i> spp. ^{#4}	
DIOSCOREACEAE Elephant's foot		
	<i>Dioscorea deltoidea</i> ^{#4}	
DROSERACEAE Venus flytrap		
	<i>Dionaea muscipula</i> ^{#4}	
EBENACEAE Ebonies		
	<i>Diospyros</i> spp. ^{#5} (Only the populations of Madagascar; no other population is included in the Columns)	
EUPHORBIACEAE Spurges		
	<i>Euphorbia</i> spp. ^{P2 #4} (Succulent species only,	

Column I	Column II	Column III
	except the species included in Column I and <i>Euphorbia misera</i> which is not included in the Columns)	
<i>Euphorbia ambovombensis</i>		
<i>Euphorbia capsaintemariensis</i>		
<i>Euphorbia cremersii</i> (Includes the forma <i>viridifolia</i> and the var. <i>rakotozafyi</i>)		
<i>Euphorbia cylindrifolia</i> (Includes the ssp. <i>tuberifera</i>)		
<i>Euphorbia decaryi</i> (Includes the vars. <i>ampanihyensis</i> , <i>robinsonii</i> and <i>spirosticha</i>)		
<i>Euphorbia francoisii</i>		
<i>Euphorbia moratii</i> (Includes the vars. <i>antsingiensis</i> , <i>bemarahensis</i> and <i>multiflora</i>)		
<i>Euphorbia parvicyathophora</i>		
<i>Euphorbia quartziticola</i>		
<i>Euphorbia tulearensis</i>		
FAGACEAE Mongolian oak		
		<i>Quercus mongolica</i> ^{#5} (Russian Federation)



Column I	Column II	Column III
FOUQUIERIACEAE Ocotillos		
	<i>Fouquieria columnaris</i> #4	
<i>Fouquieria fasciculata</i>		
<i>Fouquieria purpusii</i>		
GERANIACEAE Geraniums		
		<i>Monsonia herrei</i> (South Africa)
		<i>Monsonia multifida</i> (South Africa)
		<i>Monsonia patersonii</i> (South Africa)
		<i>Pelargonium crassicaule</i> (South Africa)
		<i>Pelargonium triste</i> (South Africa)
GNETACEAE Gnetum		
		<i>Gnetum montanum</i> #1 (Nepal)
JUGLANDACEAE Gavilan		
	<i>Oreomunnea pterocarpa</i> #4	
LAURACEAE Brazilian rosewood		
	<i>Aniba rosaeodora</i> #12	
LEGUMINOSAE (FABACEAE) Afrormosia, cristobal, palisander, rosewood, sandalwood		
	<i>Afzelia</i> spp. #17 (Only the African populations; no other population is included in the Columns)	

Column I	Column II	Column III
	<i>Dalbergia</i> spp. ^{#15} (Except for the species included in Column I)	
<i>Dalbergia nigra</i>		
	<i>Dipteryx</i> spp. ^{#17}	
	<i>Guibourtia demeusei</i> ^{#15}	
	<i>Guibourtia pellegriniana</i> ^{#15}	
	<i>Guibourtia tessmannii</i> ^{#15}	
	<i>Paubrasilia echinata</i> ^{#10}	
	<i>Pericopsis elata</i> ^{#17}	
	<i>Platymiscium parviflorum</i> ^{#4}	
	<i>Pterocarpus</i> spp. ^{#17} (Except <i>Pterocarpus santalinus</i> which is included in Column II with annotation #7; only the African populations; no other population is included in the Columns)	
	<i>Pterocarpus santalinus</i> ^{#7}	
	<i>Senna meridionalis</i>	
LILIACEAE Aloes		
	<i>Aloe</i> spp. ^{#4} (Except the species included in Column I and <i>Aloe vera</i> , also referenced as <i>Aloe barbadensis</i> , which is not included in the Columns)	
<i>Aloe albida</i>		
<i>Aloe albiflora</i>		
<i>Aloe alfredii</i>		
<i>Aloe bakeri</i>		



Column I	Column II	Column III
<i>Aloe bellatula</i>		
<i>Aloe calcairophila</i>		
<i>Aloe compressa</i> (Includes the vars. <i>paucituberculata</i> , <i>rugosquamosa</i> and <i>schistophila</i>)		
<i>Aloe delphinensis</i>		
<i>Aloe descoingsii</i>		
<i>Aloe fragilis</i>		
<i>Aloe haworthioides</i> (Includes the var. <i>aurantiaca</i>)		
<i>Aloe helenae</i>		
<i>Aloe laeta</i> (Includes the var. <i>maniaensis</i>)		
<i>Aloe parallelifolia</i>		
<i>Aloe parvula</i>		
<i>Aloe pillansii</i>		
<i>Aloe polyphylla</i>		
<i>Aloe rauhii</i>		
<i>Aloe suzannae</i>		
<i>Aloe versicolor</i>		
<i>Aloe vossii</i>		
MAGNOLIACEAE Magnolias		
		<i>Magnolia liliifera</i> var. <i>obovata</i> ^{#1} (Nepal)
MALVACEAE Baobab		
	<i>Adansonia grandidieri</i> ^{#16}	
MELIACEAE Mahoganies, West Indian cedar		



Column I	Column II	Column III
	<i>Cedrela spp.</i> ^{#6} (Only the populations of the Neotropics; no other population is included in the Columns)	
	<i>Khaya spp.</i> ^{#17} (Only the African populations; no other population is included in the Columns)	
	<i>Swietenia humilis</i> ^{#4}	
	<i>Swietenia macrophylla</i> ^{#6} (Only the populations of the Neotropics; no other population is included in the Columns)	
	<i>Swietenia mahagoni</i> ^{#5}	
NEPENTHACEAE Pitcher-plants (Old World)		
	<i>Nepenthes spp.</i> ^{#4} (Except the species included in Column I)	
<i>Nepenthes khasiana</i>		
<i>Nepenthes rajah</i>		
OLEACEAE Machurian ash		
		<i>Fraxinus mandshurica</i> ^{#5} (Russian Federation)
ORCHIDACEAE Orchids		
	Orchidaceae spp. ^{P3 #4} (Except the species included in Column I)	
<i>Aerangis ellisii</i> ^{P4}		



Column I	Column II	Column III
<i>Cattleya jongheana</i> ^{P4}		
<i>Cattleya lobata</i> ^{P4}		
<i>Dendrobium cruentum</i> ^{P4}		
<i>Mexipedium xerophyticum</i> ^{P4}		
<i>Paphiopedilum</i> spp. ^{P4}		
<i>Peristeria elata</i> ^{P4}		
<i>Phragmipedium</i> spp. ^{P4}		
<i>Renanthera imschootiana</i> ^{P4}		
OROBANCHACEAE Desert cistanche		
	<i>Cistanche deserticola</i> ^{#4}	
PALMAE (ARECACEAE) Palms		
	<i>Beccariophoenix madagascariensis</i> ^{#4}	
	<i>Dypsis decaryi</i> ^{#4}	
<i>Dypsis decipiens</i>		
	<i>Lemurophoenix halleuxii</i>	
		<i>Lodoicea maldivica</i> ^{#13} (Seychelles)
	<i>Marojejya darianii</i>	
	<i>Ravenea louvelii</i>	
	<i>Ravenea rivularis</i>	
	<i>Satranala decussilvae</i>	
	<i>Voanioala gerardii</i>	
PAPAVERACEAE Himalayan poppy		
		<i>Meconopsis regia</i> ^{#1} (Nepal)
PASSIFLORACEAE Passion-flowers		

Column I	Column II	Column III
	<i>Adenia firingalavensis</i>	
	<i>Adenia olaboensis</i>	
		<i>Adenia spinosa</i> (South Africa)
	<i>Adenia subsessilifolia</i>	
PEDALIACEAE Sesames		
	<i>Uncarina grandidieri</i>	
	<i>Uncarina stellulifera</i>	
PINACEAE Firs and pines		
<i>Abies guatemalensis</i>		
		<i>Pinus koraiensis</i> ^{#5} (Russian Federation)
PODOCARPACEAE Podocarps		
		<i>Podocarpus neriifolius</i> ^{#1} (Nepal)
<i>Podocarpus parlatorei</i>		
PORTULACACEAE Lewisias, portulacas, purslanes		
	<i>Anacampseros</i> spp. ^{#4}	
	<i>Avonia</i> spp. ^{#4}	
	<i>Lewisia serrata</i> ^{#4}	
		<i>Portulacaria pygmaea</i> (South Africa)
PRIMULACEAE Cyclamens		
	<i>Cyclamen</i> spp. ^{P5 #4}	
RANUNCULACEAE Yellow adonis, yellow root		



Column I	Column II	Column III
	<i>Adonis vernalis</i> ^{#2}	
	<i>Hydrastis canadensis</i> ^{#8}	
ROSACEAE African cherry		
	<i>Prunus africana</i> ^{#4}	
RUBIACEAE Ayugue		
<i>Balmea stormiae</i>		
SANTALACEAE African sandalwood		
	<i>Osyris lanceolata</i> ^{#2} (Populations of Burundi, Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania; no other population is included in the Columns)	
SARRACENIACEAE Pitcher-plants (New World)		
	<i>Sarracenia</i> spp. ^{#4} (Except the species included in Column I)	
<i>Sarracenia oreophila</i>		
<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>		
<i>Sarracenia rubra</i> ssp. <i>jonesii</i>		
SCROPHULARIACEAE Kutki		
	<i>Picrorhiza kurroo</i> ^{#2} (Excludes <i>Picrorhiza</i> <i>scrophulariiflora</i>)	
STANGERIACEAE Stangerias		

Column I	Column II	Column III
	<i>Bowenia</i> spp. ^{#4}	
<i>Stangeria eriopus</i>		
TAXACEAE Yews		
	<i>Taxus chinensis</i> ^{#2} (Includes infraspecific taxa of this species)	
	<i>Taxus cuspidata</i> ^{P6 #2} (Includes infraspecific taxa of this species)	
	<i>Taxus fuana</i> ^{#2} (Includes infraspecific taxa of this species)	
	<i>Taxus sumatrana</i> ^{#2} (Includes infraspecific taxa of this species)	
	<i>Taxus wallichiana</i> ^{#2}	
THYMELAEACEAE (AQUILARIACEAE) Agarwood, ramin		
	<i>Aquilaria</i> spp. ^{#14}	
	<i>Gonystylus</i> spp. ^{#4}	
	<i>Gyrinops</i> spp. ^{#14}	
TROCHODENDRACEAE (TETRACENTRACEAE) Tetracentron		
		<i>Tetracentron sinense</i> ^{#1} (Nepal)
VALERIANACEAE Himalayan spikenard		
	<i>Nardostachys grandiflora</i> ^{#2}	
VITACEAE Grapes		



Column I	Column II	Column III
	<i>Cyphostemma elephantopus</i>	
	<i>Cyphostemma laza</i>	
	<i>Cyphostemma montagnacii</i>	
WELWITSCHACEAE Welwitschia		
	<i>Welwitschia mirabilis</i> ^{#4}	
ZAMIACEAE Cycads		
	Zamiaceae spp. ^{#4} (Except the species included in Column I)	
<i>Ceratozamia</i> spp.		
<i>Encephalartos</i> spp.		
<i>Microcycas calocoma</i>		
<i>Zamia restrepoi</i>		
ZINGIBERACEAE Ginger lily, Natal ginger		
	<i>Hedychium philippinense</i> ^{#4}	
	<i>Siphonochilus aethiopicus</i> (Only the populations of Eswatini, Mozambique, South Africa and Zimbabwe; no other population is included in the Columns)	
ZYGOPHYLLACEAE Lignum-vitae		
	<i>Bulnesia sarmientoi</i> ^{#11}	
	<i>Guaiacum</i> spp. ^{#2}	

Footnotes

- A1 Specimens of the domesticated form are not subject to the provisions of the Convention.
- A2 A zero export quota for wild specimens traded for commercial purposes.
- A3 For the exclusive purpose of allowing international trade in fibre from vicuñas (*Vicugna vicugna*) and their derivative products, only if the fibre comes from the shearing of live vicuñas. Trade in products derived from the fibre may only take place in accordance with the following provisions:
- (a) any person or entity processing vicuña fibre to manufacture cloth and garments must request authorization from the relevant authorities of the country of origin (Countries of origin: The countries where the species occurs, that is, Argentina, Bolivia, Chile, Ecuador and Peru) to use the “vicuña country of origin” wording, mark or logo adopted by the range States of the species that are signatories to the Convention for the Conservation and Management of the Vicuña;
 - (b) marketed cloth or garments must be marked or identified in accordance with the following provisions:
 - (i) for international trade in cloth made from live-sheared vicuña fibre, whether the cloth was produced within or outside of the range States of the species, the wording, mark or logo must be used so that the country of origin can be identified. The VICUÑA [COUNTRY OF ORIGIN] wording, mark or logo has the format as detailed below:



This wording, mark or logo must appear on the reverse side of the cloth. In addition, the selvages of the cloth must bear the words VICUÑA [COUNTRY OF ORIGIN];

- (ii) for international trade in garments made from live-sheared vicuña fibre, whether the garments were produced within or outside of the range States of the species, the wording, mark or logo indicated in paragraph (b)(i) must be used. This wording, mark or logo must appear on a label on the garment itself. If the garments are produced outside of the country of origin, the name of the country where the garment was produced should also be indicated, in addition to the wording, mark or logo referred to in paragraph (b)(i);
- (c) for international trade in handicraft products made from live-sheared vicuña fibre produced within the range States of the species, the VICUÑA [COUNTRY OF ORIGIN] - ARTESANÍA wording, mark or logo must be used as detailed below:

 VICUÑA [PAÍS DE ORIGEN] - ARTESANÍA

- (d) if live-sheared vicuña fibre from various countries of origin is used for the production of cloth and garments, the wording, mark or logo of each of the countries of origin of the fibre must be indicated, as detailed in paragraph (b)(i) and (ii);
 - (e) all other specimens shall be deemed to be specimens of species listed in Column I and the trade in them shall be regulated accordingly.
- A4 For *Panthera leo* (African populations): a zero annual export quota is established for specimens of bones, bone pieces, bone products, claws, skeletons, skulls and teeth removed from the wild and traded for commercial purposes. Annual export quotas for trade in bones, bone pieces, bone products, claws, skeletons, skulls and teeth for commercial purposes, derived from captive breeding operations in South Africa, will be established and communicated annually to the CITES Secretariat.
- A5 Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article III of the Convention.
- A6 For *Tursiops truncatus* (Black Sea population): a zero annual export quota has been established for live specimens removed from the wild and traded for primarily commercial purposes.
- A7 A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.
- A8 The populations of Eswatini and South Africa of *Ceratotherium simum simum* are included in Column II for the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.
- A9 The population of Namibia of *Ceratotherium simum simum* is included in Column II for the exclusive purpose of allowing international trade in live animals for *in situ* conservation only, and only within the natural and historical range of *Ceratotherium simum* in Africa. All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.
- A10 Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Column II):
For the exclusive purpose of allowing:
- (a) trade in hunting trophies for non-commercial purposes;

- (b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20 (Rev. CoP18), for Botswana and Zimbabwe and for *in situ* conservation programmes for Namibia and South Africa;
- (c) trade in hides;
- (d) trade in hair;
- (e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
- (f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
- (g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
 - (i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
 - (ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP18) concerning domestic manufacturing and trade;
 - (iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
 - (iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
 - (v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in subparagraph (iv), in a single sale per destination under strict supervision of the Secretariat;
 - (vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
 - (vii) the additional quantities specified in subparagraph (v) shall be traded only after the Standing Committee has agreed that the above conditions have been met; and
- (h) no further proposals to allow trade in elephant ivory from populations already in Column II shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single



sale of ivory that is to take place in accordance with paragraph (g)(i), (ii), (iii), (vi) and (vii). In addition such further proposals shall be dealt with in accordance with Decisions 16.55 and 14.78 (Rev. CoP16).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.

- A11 The population of Brazil of *Caiman latirostris* is included in Column II subject to a zero annual export quota for wild specimens traded for commercial purposes.
- A12 The population of Ecuador of *Melanosuchus niger* is included in Column II subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group.
- A13 The population of Mexico of *Crocodylus acutus* is included in Column II subject to a zero export quota for wild specimens for commercial purposes.
- A14 The population of Belize of *Crocodylus moreletii* is included in Column II with a zero quota for wild specimens traded for commercial purposes.
- A15 The population of Egypt of *Crocodylus niloticus* is included in Column II subject to a zero quota for wild specimens traded for commercial purposes.
- A16 The population of the United Republic of Tanzania of *Crocodylus niloticus* is included in Column II subject to an annual export quota of no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens.
- A17 The population of Malaysia of *Crocodylus porosus* is included in Column II with wild harvest restricted to the State of Sarawak and a zero quota for wild specimens for the other States of Malaysia (Sabah and Peninsular Malaysia), with no change in the zero quota unless approved by the Parties.
- A18 The population of the Palawan islands, Philippines, of *Crocodylus porosus* is included in Column II subject to a zero annual export quota for wild specimens traded for commercial purposes.
- A19 Zero export quota for wild specimens for commercial purposes.
- A20 *Abronia aurita*, *A. gaiophasma*, *A. montecristoi*, *A. salvadorensis* and *A. vasconcelosii* are subject to a zero export quota for wild specimens.
- A21 Zero export quota for specimens from the wild.
- A22 Zero quota for wild specimens for commercial purposes.
- A22 For *Cuora aurocapitata*, *C. flavomarginata*, *C. mccordi*, *C. mouhotii*, *C. pani*, *C. trifasciata*, *C. yunnanensis* and *C. zhoui*: a zero quota for wild specimens for commercial purposes.

A23 For *Centrochelys sulcata*: a zero annual export quota has been established for specimens removed from the wild and traded for primarily commercial purposes.

A24 For *Agalychnis lemur*: a zero annual export quota for wild-taken specimens traded for commercial purposes.

A24 A zero annual export quota for wild-taken specimens traded for commercial purposes.

A25 Fossils are not subject to the provisions of the Convention.

#1 All parts and derivatives, except:

- (a) seeds, spores and pollen (including pollinia);
- (b) seedling or tissue cultures obtained *in vitro* transported in sterile containers;
- (c) cut flowers of artificially propagated plants; and
- (d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

#2 All parts and derivatives except:

- (a) seeds and pollen; and
- (b) finished products packaged and ready for retail trade.

#3 Whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.

#4 All parts and derivatives, except:

- (a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- (b) seedling or tissue cultures obtained *in vitro* transported in sterile containers;
- (c) cut flowers of artificially propagated plants;
- (d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- (e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae);
- (f) finished products of *Aloe ferox* and *Euphorbia antisiphilitica* packaged and ready for retail trade; and

- (g) finished products derived from artificial propagation, packaged and ready for retail trade of cosmetics containing parts and derivatives of *Bletilla striata*, *Cycnoches cooperi*, *Gastrodia elata*, *Phalaenopsis amabilis* or *Phalaenopsis lobbii*.
- #5 Logs, sawn wood and veneer sheets.
- #6 Logs, sawn wood, veneer sheets and plywood.
- #7 Logs, woodchips, powder and extracts.
- #8 Underground parts (i.e. roots, rhizomes): whole, parts and powdered.
- #9 All parts and derivatives except those bearing a label:
“Produced from Hoodia spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]”.
- #10 All parts, derivatives and finished products, except re-export of finished musical instruments, finished musical instrument accessories and finished musical instrument parts.
- #11 Logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.
- #12 Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.
- #13 The kernel (also known as ‘endosperm’, ‘pulp’ or ‘copra’) and any derivatives thereof, except finished products packaged and ready for retail trade.
- #14 All parts and derivatives except:
- (a) seeds and pollen;
 - (b) seedling or tissue cultures obtained in vitro transported in sterile containers;
 - (c) fruits;
 - (d) leaves;
 - (e) exhausted agarwood powder, including compressed powder in all shapes; and
 - (f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings.
- #15 All parts and derivatives, except:
- (a) leaves, flowers, pollen, fruits, and seeds;

- (b) finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
- (c) finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
- (d) parts and derivatives of *Dalbergia cochinchinensis*, which are covered by Annotation # 4; and
- e) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico, which are covered by Annotation # 6.

#16 Seeds, fruits and oils.

#17 Logs, sawn wood, veneer sheets, plywood and transformed wood.

#18 Excluding parts and derivatives, other than eggs.

P1 Artificially propagated specimens of the following hybrids and cultivars are not subject to the provisions of the Convention:

- (a) *Hatiora x graeseri*;
- (b) *Schlumbergera x buckleyi*;
- (c) *Schlumbergera russelliana x Schlumbergera truncata*;
- (d) *Schlumbergera orssichiana x Schlumbergera truncata*;
- (e) *Schlumbergera opuntioides x Schlumbergera truncata*;
- (f) *Schlumbergera truncata* (cultivars);
- (g) Cactaceae spp. colour mutants grafted on the following grafting stocks:
 - (i) *Harrisia Jusbertyi*;
 - (ii) *Hylocereus trigonus*; or
 - (iii) *Hylocereus undatus*; and
- (h) *Opuntia microdasys* (cultivars).

P2 Artificially propagated specimens of cultivars of *Euphorbia trigona*, artificially propagated specimens of crested, fan-shaped or colour mutants of *Euphorbia lactea*, when grafted on artificially propagated root stock of *Euphorbia neriifolia*, and artificially propagated specimens of cultivars of *Euphorbia* 'Mili' when they are traded in shipments of 100 or more plants and readily recognizable as artificially propagated specimens, are not subject to the provisions of the Convention.

P3 Artificially propagated hybrids of the genera *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda* are not subject to the provisions of the Convention, if the following conditions under paragraph (a) and (b) are met:

- (a) specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and
- (b) when shipped —
 - (i) in non-flowering state the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or
 - (ii) in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

- P4 Seedling or tissue cultures obtained *in vitro* and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of ‘artificially propagated’ agreed by the Conference of the Parties.
- P5 Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.

- P6 Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text ‘artificially propagated’, are not subject to the provisions of the Convention.”.

Made by the Management Authority the 25th day of November, 2024.

Management Authority